

WBK  
J25 no  
1842

JARR'S NEW MANUAL OF  
HOMOEOPATHIC PRACTICE  
INDEX TO VOLUME 2










William S. Helmutt,





Amey

1071





# SYNOPTICAL INDEX

TO

VOLUME II.

OF

JAHR'S NEW MANUAL

OF

## HOMŒOPATHIC PRACTICE.

BY

RICHARD M. BOLLES, M. D.


---

SECOND AMERICAN EDITION.

---

NEW-YORK:

WILLIAM RADDE, 322 BROADWAY,  
1843.



276 / 871  
New York S. for M.-S. I.  
Library of the

WBK

J25 no

1842

Index

ARMED FORCES MEDICAL LIBRARY  
WASHINGTON, D.C.

Film No. 5059, no. 3

THE Editor's thanks are justly due to Dr. Bolles for the care he has bestowed on the Appendix, and especially for the table of errata, which has cost him a laborious comparison with the original French edition. I trust all American practitioners will procure it, and in all cases use it in conjunction with my text.

Dr. Bolles has conferred no trifling benefit on the American branch of our school by this unostentatious labor.

A. GERALD HULL.

*27th March, 1843.*



The Editor's thanks are hereby due to Dr. Bolles for the  
care he has bestowed on the Appendix, and especially for the  
table of errors, which has cost him a laborious comparison  
with the original French edition. I trust all American per-  
soneers will procure it, and in all cases use it in conjunction  
with my text.

Dr. Bolles has rendered us telling benefit on the Ameri-  
can branch of our school by this investigation.

A. GERALD HULL

NEW YORK, 1843.

# INDEX.

NOTE.—METASTASIS.—Diseases resulting from suppressed morbid discharges, repelled exanthemata and other eruptions, healing of ulcers, translation of disease from one organ or system to another, &c. are arranged under this head.

SEQUELÆ embrace the results of diseases not referable to metastasis, as the sequels of small pox, measles, scarlatina, &c.

DEBILITATING LOSSES comprise the morbid effects of sanguineous and seminal discharges, laceration, purgatives, emetics, &c.

PERSONS, include temperaments, constitutions, habits, complexion, disposition, age, &c.

The letter (E) placed before the number of a page refers to the errata for the correction of an error.

The words *see errata*, p. &c. denote that the article or paragraph is wrong throughout or is omitted in the text.

R. M. BOLLES, M. D.

ABDOMINAL AFFECTIONS, with amblyopia,	248	Abscess of the extremities (lower)	
after Asiatic cholera,	402	as symptom,	665
hypochondriasis		gums,	330
from,	178	knee, see gonitis,	664
in myelitis,	634	liver, see hepatitis,	447
congestion, see congestion of the abdomen.		lymphatic,	E 96
obstruction. see marasmus.		of the mammae,	538
Abdomen, abdominal organs and inguina, affections of the,	437	as symptom,	559
hypochondria, liver, spleen and diaphragm, symptoms of the	450. 453	see tumours.	
conditions of symptoms,	462	open, see tumours,	96
concomitant symptoms,	466	Accouchment, labour, lying-in,	
enlarged, see enlargement.		E 524. E 536	
metastasis of milk to, see lactation,	535	absence of labour-pains,	E 525
Abortion, see miscarriage.		adhesion of the placenta,	525
Abscess (internal), a tumour containing pus,	1	after-pains, acute,	525
acute or phlegmonous,		convulsions during labour,	525
on the back,	635	false labour-pains,	524
in the cavity of a joint bone, see arthrocace.		hemorrhage after,	525
chronic or cold,	1	injury of the organs during,	525
from congestion,	96	metrorrhagia after,	525. 540
		spasmodic labour-pains,	524
		spasms during,	525
		suspension of labour-pains,	525
		Achor, see scald-head.	
		Acid citric, as antidote, see vinegar,	688
		hydrocyanic as poison,	691
		see almond's bitter,	693

- Acid nitric**, as poison, see acids  
     mineral, 691  
     phosphoric as poison, see acids  
     mineral, 691  
     sebacic as poison, E 692  
     sulphuric as poison, see acids  
     mineral, 691  
**Acid wine**, indigestion from, 385  
**Acidity of children**, 560  
     with diarrhœa and vomiting,  
         see gastrostis, 564  
**Acids mineral and corrosive**, as  
     poisons, 691  
     sufferings from vapour of, see  
         gases, E 696  
**Acids**, sufferings from acid food,  
     drinks, fruit, &c. 395  
     diarrhœa from partaking of, 472  
     dyspepsia, 379  
     gastric derangement, 413  
     gastric fever, 129  
     indigestion, 385  
     stomach chilled by 6  
**Acne**, 78  
     of drunkards, 78  
     punctata, 78  
     rosacea, 78  
     from sexual excess, 78  
**Acute diseases**, alopecia from, 200  
     anæmia from, 2  
     bulimy from, E 378  
     debility from, 10  
         see conva-  
         lescence, 146  
     fainting from, 18  
     hectic fevers from, 133  
**Adenitis**, inflammation of  
     glands, 2  
**Adhesion of the placenta**, see ac-  
     couchment.  
**Adynamic pneumonia**, see pneu-  
     monia.  
     fevers, see fevers typhoid.  
**Adypsia**, absence of thirst, as  
     symptom, 160  
**Edoitis**, inflammation of the la-  
     bia pudendi, as symptom, 547  
**Æther and alcohol** as poi-  
     sons, 693  
**Affliction mental**, see emotions  
     moral.  
**After-pains**, see accouchment and  
     lying-in.  
**Agalactia**, want of milk, see lac-  
     tation.  
**Aged persons**, see persons aged  
     and old men.  
**Agrypnia**, see sleeplessness.  
**Ague**, see fevers intermittent.  
**Albumen** as antidote, see white  
     of egg, 691  
**Alcohol and æther** as poisons, 693  
**Alienation mental**, mania, mad-  
     ness, E 174  
     from anger, 174  
     during pregnancy, 545  
     from excessive study, 174  
     see moral affections of lying-in  
         women, 537  
     from mortification, 174  
         religious depression, 174  
         uterine derangement, E 174  
         vexation, 174  
**Aliments**, sufferings from, 395  
     as symptoms, 395  
     repugnance to, as symptom, 390  
     desire for certain, as symptom, 387  
**Alkaline substances**, sufferings  
     from vapour of, see gases, 696  
**Alkalies** as poisons, 692  
**Almonds bitter**, as poison, 693  
     oil of sweet, as antidote, see  
         acids, 691  
**Alopecia**, baldness, fall of the hair, 200  
     from abuse of cinchona, 200  
         of mercury, 200  
         acute disease, 200  
     with clammy perspiration, 201  
     from debilitating losses, 200  
     with dryness of the hair, 200  
     from grief, 200  
     and hair turning gray, 200  
     from hysterical headache, 200  
     of lying-in women, 200. 537  
     with many scales, 200  
     from megrim, 200  
     with pityriasis, 200  
     from profuse perspirations,  
     with sensibility (soreness) of  
         the scalp, 200  
         of the sides of the head, 201  
         vertex, 201  
**Alum**, as poison, 693  
**Alvine evacuations**, anus, rectum,  
     and perineum, 468  
     symptoms of, 481  
     conditions of evacuations and  
     symptoms of anus, 487  
     concomitant symptoms of the  
     evacuations, 488  
     symptoms of anus, rectum, and  
     perineum, 491  
**Amaurosis**, see amblyopia amauro-  
     tica, E 247  
     complete, 247  
     erethistic, E ibid.  
     torpid, ibid.  
**Amblyopia**, defects of sight, E 246  
     with abdominal affection, 248  
     from abuse of merc. and other  
         metallic substances, 248  
     abuse of spirituous liquors, 248  
     in aged persons, 248  
     from arthritic metastasis, 248



- Amblyopia, amaurotica,** E 247  
 from blows on the head, 248  
 catarrhal, 248  
 from cold in the head or eyes, 248  
 concussion, 248  
 with congestion to the head, 248  
 from coryza, 248  
 debilitating losses, 247  
 with diseases of the ear and hearing, 248  
 diseases of the heart, 248  
 epilepsy or spasmodic affections, 249  
 from finework, 247  
 with gastric affection, 248  
 from mechanical injuries, 248  
 with nervous headache, 248  
 in old men, 248  
 with pulmonary affections, 248  
 from rheumatic metastasis, 248  
 repelled eruptions, 248  
 in scrofulous subjects, 248  
 from sexual excess, 247  
 suppressed catamenia, 248  
 chronic hemorrhage, E 248  
 mucous discharges, 248  
 suppuration, 248  
 with uterine disorders, 248
- Amenia, see amenorrhœa.**
- Amenorrhœa, amenia, absence of**  
 the menses, 525  
 amenia, in cachectic persons, 526  
 see catamenia.  
 catamenia too feeble, 526  
 from a cold or chill, 526  
 see congestion to the head in  
 young girls, 212  
 in exhausted persons, 526  
 from fright or sudden emotion, 526  
 in plethoric persons, 526  
 weak persons, 526  
 young girls, 526
- Ammonia as poison, see alkalies,**  
 salts of, and nitrate of potass,  
 as poisons, 693
- Amygdala, dysecœa from enlarg-**  
 ed, 279  
 induration, see amygdalitis, 360  
 inflammation of, ibid.  
 suppuration of, ibid
- Amygdalitis, inflammation of the**  
 tonsils, 360  
 dysecœa from repeated, 279
- Anæmia, from acute diseases,** 2  
 from debilitating losses, 2
- Anasarca, dropsy of the skin,** 78
- Aneurism,** 2  
 of the heart, see carditis, 606
- Anger, effects of, see emotions**  
 moral.
- Angina, cynanche, sore throat,** E 361  
 from abuse of mercury, 361. E 700
- Angina, acute,** 361  
 bronchial, see catarrh.  
 catarrhal, 361  
 of the chest, E 597  
 chronic, 361  
 from a cold or chill, 361  
 constitutional, 361  
 gangrenous, 361. 369  
 see scarlatina, 90  
 laryngea, see laryngitis.  
 with measles, 361. 86  
 œsophageal, see œsophagitis.  
 membranous, see croup.  
 palatine, 349  
 of the parotid, see parotitis.  
 pectoris, E 597  
 pharyngeal, see pharyngitis.  
 phlegmonous, 361  
 rheumatic, 361  
 with scarlatina, 90. 361  
 small pox, 361  
 syphilitic, 361. see chancres, 94  
 tracheal, see croup.  
 of the tonsils, see amygdalitis, 360  
 traumatic, 361  
 uvular, see pharyngitis.
- Animal substances, as poisons,** 693
- Anorexia, want of appetite,** E 378
- Anosmia, loss of smell,** 292
- Anthrax, see carbuncle.** 79  
 of horned cattle, see carbuncle, 79
- Antidotes,** E 688
- Anus, affections and symptoms**  
 of, see alvine evacuations.  
 mucous discharges from, see  
 blennorrhœa, 468
- Aphonia, see hoarseness and**  
 aphonia, E 578
- Aphthæ, thrush,** 348  
 of infants, 561  
 as symptom, 352
- Apocynum cannab, a remedy in**  
 dropsy, 11
- Apoplexy and cerebral congestion,** 201  
 in aged persons, 201  
 from debilitating losses, 201  
 loss of blood, 201  
 of the lungs, asphyxia from, 3  
 see orthopnœa.  
 nervous, 201  
 from overloaded stomach, 201  
 paralysis from, 30. 201  
 of the tongue from, 350  
 sanguineous, 201  
 serous, 201  
 from spirituous liquors, 201
- Apparent death, see asphyxia.**
- Appetite and food,** 378  
 and taste, symptoms of the, 386  
 sufferings from food, 395  
 voracious, see bulimya.  
 want of, see anorexia.

- Arachnoiditis, see meningitis.  
 Arsenic, abuse of, 694  
   asthma, from vapour of, 598  
   as poison, 693. see metals, 700  
 Arthritic cephalalgia, 203  
   contractions, 3  
   gonitis (gonagra), 664  
   metastasis, sight injured by, see amblyopia, 248  
   nodosities, 3  
     on the finger joints, 466  
     as symptoms, E 331  
   odontalgia, E 331  
   pains in the superior extremities, as symptoms, 645  
   prosopalgia, 310  
 Arthritis, gout, 2. see gout.  
   acuta, 2  
   chronica, 2  
   in the feet (podagra), 664  
     hands (chiragra), 645  
     hip, see coxalgia, 663  
     lower extremities, as symptom, 665  
   metastasis of, 3  
   vaga, 2  
 Arthrocece, ulcer in the cavity of a joint bone, 3  
 Articulations, see symptoms of joints in general, 53  
 Asafœtida, abuse of, 694  
 Ascarides, see helminthiasis,  
 Ascites, dropsy of the belly, 437  
   in scarlet fever, 90  
 Asphyxia, apparent death, 3  
   by congelation, 4  
   deleterious gases, 4  
   drowning, 4  
   from a fall, 3  
   of infants, 561.  
   by lightning, 4  
   strangulation, 4  
   suffocation, 4  
 Asthma, from arsenical vapours, 598  
   in aged persons, see errata, p. 599  
   cardiac, see angina of the chest, E 598  
   catarrhal, see orthopnœa, E 611  
   in children, E 561.  
     see asthma of Millar and Wigand, 597  
   from a chill or cold, 598  
   congestion to the chest, 598  
   copper vapours, 598  
   with deranged catamenia, 598  
   flatulent, 598  
   in hysterical persons, E 599  
   from inhaling dust, 598  
   of Millar and Wigand, 597  
     with croup, 576  
   from moral emotions, 599  
   mucous, 598  
   Asthma, nervous or spasmodic, E 598  
     predisposition to 598  
     of sculptors, 598  
     spasmodic, E 598  
     of stonecutters, 598  
     from sulphur vapours, 598  
       suppressed catarrh, 599  
     thymic of Kopp, E 605  
     of Wigand, see asthma of Millar, 597  
   Asthmatic affections, with abdominal sufferings, 466  
     in varioloid, 99  
     symptoms, with cough, 594  
     with coryza, 293  
   Atony, see debility.  
   Atrophy, 4  
     of children (scrofulous), 4  
     of the mammæ as symptom, 559  
     see marasmus.  
     see scrofula, 35  
     of the uterus, 546  
   Axillæ, affections and symptoms of the, see chap. xxiii. sec. 2 and 3.

## B

- BACK, loins, nape and neck, affections of, 633  
   symptoms of the, 635  
   conditions of symptoms of the, 642  
 Back, pain in the, as symptom of fever, 161  
   strain in the small of the, see injuries mechanical.  
 Balanitis, inflammation of glans penis, 512. 517  
 Balbuties, see stammering.  
 Balanorrhœa or pseudo gonorrhœa, 512  
   sycotic, 512  
   syphilitic, 512  
 Barrenness, see sterility,  
 Baldness, see alopecia.  
 Baryta as poison, see alkalies, 692  
 Bath, colic from a, 439  
 Bathing, sufferings from, see chill, 6  
   headache from, 205  
 Bed-ridden persons, sores on, see intertrigo.  
 Beer, indigestion from drinking sour, 385  
   sufferings from, see dyspepsia, 379  
 Bees, glossitis from stings of, 348  
 Biliary calculus, see hepatitis, 447  
 Bilious affections, see gastroes.  
   derangement of stomach, see gastroes.  
   fevers, see fevers bilious.  
   persons, see persons bilious.



- Bites, see injuries mechanical, and wounds poisoned.
- Black and blue spots, see errata, p. 83.
- Black disease, see malæna.  
vomiting, see malæna and vomiting.
- Bladder, affections and symptoms of the, see urinary organs.
- Bladder, thickening of the, E 500
- Bleeding, abuse of as remedy, see debilitating losses.  
at the nose, see epistaxis.
- Blennorrhœa of the bladder, see catarrh of the vesica, 495  
of the lungs, see phthisis, 611  
recti, 468  
of the urethra, see gonorrhœa.
- Blepharitis, inflammation of the eyelids, E 252  
acute, 252  
chronic, 252
- Blepharophthalmia, see blepharitis.
- Blepharoplegia, see paralysis of the eyelids, E 260
- Blepharospasmus, see spasms of the eyelids, 261
- Blindness, 254  
diurnal, see nyctalopia.  
nocturnal, see hemeralopia.  
partial, see amblyopia, hemiopia, myopia, &c.  
as symptom, 271
- Blood, symptoms of the, 46
- Body, affections of one side of the, see semi-lateral.
- Boils, see furunculus.
- Bones, general symptoms of, see bones, pains and diseases, 47  
and osseous system, 55  
abscess or ulcer in the cavity of joint, see arthrocace.  
affections of in varioloid, 100  
of the face, symptoms of, 313  
nose, affections as symptoms, 298  
scrofula affecting the, 35
- Borborygmus, see noise, 459
- Bread, sufferings from, see dyspepsia, 379  
as symptoms, 395
- Breasts, affections of the, see mammæ.
- Breath, offensive, see offensiveness of the mouth.  
symptoms of the, 617
- Bronchia, affections and symptoms of the, 567
- Bronchial catarrh, see catarrh bronchial.
- Bronchitis, see catarrh bronchial.
- Bronchocele, see goitre.
- Bruises, see injuries mechanical.
- Buboes, from mercury, 700  
scrofulous, 438  
venereal, see syphilis.
- Bulimia, see bulimy.
- Bulimy, voracious appetite, unhealthy hunger, see errata p. 378  
after acute diseases, 370. E 378  
during convalescence, E 378  
from debilitating losses, E 378  
during pregnancy, E 378. 545  
with verminous affections, E 378
- Bullæ, see pemphigus and rupia.
- Burns, see injuries mechanical.

## C

- CACHECTIC PERSONS, see persons cachectic.  
ulcers, see ulcers.
- Calculus and gravel, E 495  
biliary, see hepatitis, 447  
renal, 495
- Callosities, 79  
and corns on the feet, 663
- Callus, see callosities.
- Camphor, as antidote, 688  
as poison, 694
- Cancer, carcinoma and scirrhus, in general, E 79  
from a contusion, see errata, p. 79  
indurations (scirrhus,) ib.  
open or ulcerated, ib.  
of the face, see ulceration of  
face and lips, 313  
lips, see scirrhus, 312  
mammæ, 538  
nose, 292  
and scirrhus, E 79  
of stomach, E 418  
spongoid, see fungus hæmatodes, 81  
of the uterus, 546
- Cancerous ulcers, see ulcers.
- Canine appetite, see bulimy.
- Cantharides, dysuria from use of, 497  
as poison, 694
- Carbonic gas, see gases deleterious, E 696  
sufferings from, 697
- Carbuncle, 79  
of horned cattle, poisoning by, 79
- Carcinoma, see cancer and scirrhus.
- Carcinomatous ulcers, see ulcers.
- Cardia, contraction of the, 406
- Cardiac angina, see angina of the chest.
- Cardialgia, see pyrosis and gastralgia.
- Carditis and other affections of the heart, 605



- Carditis**, acute rheumatism of the heart, 606  
 amblyopia with diseased heart, 248  
 aneurism, 606  
 hypertrophia, 606  
 see palpitation of the heart.  
 polypus of the heart, 606  
**Cardiopalmus**, see palpitation.  
**Caries**, see otitis, &c. E 29. and scrofula, E 35  
 of the bones of the ear from scarlet fever, 90  
     jaw, 308  
 from abuse of mercury, 700. 292  
 of the bones of the nose, 292  
     mercurial, 292  
     scrofulous, 292  
     syphilitic, 292  
     of the palate, 349  
     as symptom, 353  
 teeth, 330  
     as symptom, 339  
**Carreau**, see tabes mesenterica.  
**Carriage**, vomiting from riding in, 419  
**Catalepsy**, see spasms.  
**Cataphora**, see somnolency.  
**Catamenia**, asthma from deranged, 598  
 dysmenorrhœa at the cessation of the, 530  
     with retarded, 530  
 gastralgia during the, 407  
 metrorrhagia during the, 540  
 odontalgia during the, 332  
 painful, see dysmenorrhœa.  
 retained, see amenorrhœa and chlorosis.  
 retarded, with dysmenorrhœa, 530  
 scanty, see amenorrhœa.  
     epistaxis with, 296  
 spasms at the period of the, 530  
 suppressed, see amenorrhœa and chlorosis.  
 symptoms of the, see sexual functions, 549  
 concomitant symptoms of the, 553  
 too early, dysmenorrhœa with, 530  
 too feeble, see amenorrhœa, 526  
     dysmenorrhœa with, 530  
 of too long duration, with dysmenorrhœa, 530  
 too profuse, with dysmenorrhœa, 530  
     with epistaxis, 296  
     with gastralgia, 407  
     see metrorrhagia, 539  
 o. too short duration with dysmenorrhœa, 530  
 too weak with gastralgia, 407  
**Cataract**, 254  
 glaucoma, 254  
 lenticular, 254  
**Cataract**, traumatic, 254  
**Catarrh**, bronchial and pulmonary, 567  
     of aged persons, 568  
     asthma, from suppressed, 599  
     of children, 568  
     choking, 568  
     chronic, 568  
     with dry and violent cough, 567  
     epidemic, grippe, influenza, 567  
     in fat children, 568  
     with fluent coryza, 567  
     hoarseness, 567  
     hoarseness after bronchitis, 577  
     inflammatory, 567  
     with loose cough, 567  
     after measles, 568  
     ordinary, 567  
     in varioloid, 99  
     scrofulous children, 568  
     with spasmodic cough, 567  
     suffocative, 606  
     in variola, 97  
**Catarrh of the vesica** (bladder), 495  
**Catarrhal affections**, after croup, 576  
     angina, 361  
     cephalalgia, 203  
     dysecœa, 278  
     fever, see fevers catarrhal.  
     hoarseness, 578  
     ophthalmia, E 255  
     otorrhœa, 283  
     weakness of sight, see amblyopia, 248  
**Caterpillars**, venomous, see insects, 698  
**Cattle**, poisoning by carbuncle of horned, 79  
**Cephalalgia**, headache, E 202  
     from abuse of cinchona, 695  
     mercury, 205  
     spirituous liquors, 204  
     tobacco, 205  
     alopecia from megrim, 200  
     from anger, 204  
     arthritic, 203  
     from bad weather, 205  
     bathing, 205  
     carrying a heavy load, 204  
     during the catamenia, as symptom, 553  
     catarrhal, 203  
     from a cold or chill, 205  
     congestion to the head, 203  
     in children, 204  
     from concussion of the brain, 204  
     constipation, 203  
     contradiction, 204  
     copper, 204  
     with coryza, see headache, &c. 307  
     from a current of air, 205  
     a debauch, 204  
     excessive study, 204

- Cephalalgia, in females, 204  
   gastric, 203  
   from grief, 204  
     heat, 204  
   hysterical, 203  
   from indigestion, 204. 385  
     mechanical injury, E 82. 204  
     mental fatigue, 204  
     metallic substances, 204  
   nervous, megrim, E 203  
     amblyopia with, 248  
   with odontalgia, 331  
   periodical, as symptom, 233  
   during pregnancy, 545  
   from prolonged watching, 205  
   rheumatic, 203  
   in sensitive persons, E 204  
   from a strain in the loins, 204  
 Cerebral affections, after Asiatic  
   cholera, 402  
   from mechanical injuries, 84  
   congestion, see congestion.  
   inflammation, see meningitis.  
 Cessation of the menses, see men-  
   oposia.  
 Chamomilla, abuse of, 694  
   gastralgia from, 406  
   gastrosis from, 413  
 Chancre, see syphilis.  
   with gonorrhœa, 499  
 Charcoal as antidote, see mush-  
   rooms, 701  
 Cheilocace, see swelling of the  
   lips.  
 Chest and heart, affections of the, 597  
 Chest, affected in myelitis, 634  
   asthma from congestion of  
     blood to, 598  
   concomitant symptoms of res-  
     piration and pain in the  
     chest, 630  
   conditions of symptoms of res-  
     piration and pains in the  
     chest, 626  
   respiration, symptoms, 617  
   spasms or cramp in the, see as-  
     thma, E 598  
   symptoms of heart and,  
     in fever, 162  
     with coryza, 307  
     cough, 594  
     of exterior, 632  
 Chicken-pox, see varicella.  
 Chilblains, 79  
   of the feet, as symptoms, 665  
     fingers, as symptoms, 646  
   as symptoms, in general, 100  
 Childbed, see accouchment and  
   lying-in.  
 Children, diseases of, 560. see  
   young girls.
- Children, acid diarrhœa and retch-  
   ing, 560  
   acid diarrhœa and vomiting, see  
     gastrosis, 564  
     acidity of, 560  
   aphthæ (thrush) of, 561  
   asphyxia of new-born, 4. 561  
   asthma of, E 561. 597. 599. 605  
   atrophy of, E 4. see maras-  
     mus.  
   blows, bruises, falls, wounds,  
     &c. see injuries.  
   catarrh, bronchial and pulmo-  
     nary, 568  
   cephalgia, 204  
   chafing, see intertrigo.  
   chicken-pox, see varicella.  
   cold in the head, see coryza, E  
     561. 293  
   colic, E 439. 561. with diar-  
     rhœa, 562  
     and sleeplessness, 565  
   congestion to the head from  
     teething (dentition), 212  
   constipation, 469. 561. 562  
   convulsions, 39. 565. see  
     spasms.  
   coryza, 293. E 561  
   cough, see asthma, catarrh,  
     cough, croup, dentition, hoop-  
     ing-cough, measles, pleurisy,  
     pneumonia, phthisis, &c.  
   crying, E 562. see colic.  
     after weaning, see sleep-  
       lessness, 565  
   deafness, see dyseceæa.  
   debility of, see weakness, 566  
   see dentition (teething) and dis-  
     eases of  
   diarrhœa, 473. see gastrosis, 564  
     with colic, acidity,  
     crying, 561. E 562  
     and vomiting, see  
       gastrosis, 564  
   dropsy of the brain, see hydro-  
     cephalus.  
   dyspepsia, 379  
     chronic, 564  
   dysuria, 498  
   earache, see otalgia, otitis, and  
     otorrhœa.  
   emaciation, see marasmus.  
   see epistaxis (bleeding at the  
     nose).  
   excoriation, see intertrigo.  
   fat, bronchial catarrh in, 568  
   feverish heat, see sleeplessness, 565  
   fevers of, 563  
   fontanel open, see otitis.  
   gastrosis of, 412. 564  
   headache, 204  
   hernia, 564. 447



- Children, hip disease, see coxarthro-  
throace.  
see hoarseness.  
icterus, jaundice, 564  
indigestion, 385. see gastrosis, 564  
inflammation of the brain, see  
meningitis.  
of the eyes, see  
ophthalmia.  
ischuria (stoppage of urine), 564  
large belly, see atrophy and  
scrofula.  
measles, see morbilli.  
miliary eruptions of nurslings,  
(not nurses,) E 565  
nettlerash, see urticaria.  
odontalgia, toothache, 332  
ophthalmia of new-born, 256.  
orthopnœa, 611  
phimosis, 514  
prepuce swelled, inflamed, see  
phimosis.  
prolapsus ani, fall of the funda-  
ment, 480  
restlessness, see crying and  
sleeplessness.  
rickets, see rachitis.  
scarlet fever, see scarlatina.  
sleeplessness, 565. see colic and  
crying.  
slow in learning to walk, see  
scrofula, 35  
sore mouth, see aphthæ.  
stammering, 566  
still-born, see asphyxia.  
see stings.  
stomach deranged, see gastro-  
sis, 564  
strains and sprains, see injuries.  
strangury, see dysuria.  
teething, see dentition.  
thrush, see aphthæ, 561  
toothache, see odontalgia.  
tooth-rash, see strophulus.  
see vomiting and gastrosis.  
after nursing, 536  
worms, see helminthiasis.  
Chill, effects of, see cold.  
Chimney-sweepers' erysipelas of  
the scrotum, 514  
Chiragra, gout in the hands, see  
gout.  
Chlorine, see mineral acids and  
gases deleterious.  
Chlorosis, green-sickness, 530  
Cholera and cholera, E 402  
abdominal affections after, 402  
Asiatic, 402  
cerebral affections after, 402  
debility of the intestinal canal  
after, 402  
see diarrhœa with vomiting, 472  
Cholera, epidemic, 402  
gastric affections after, 402  
general debility after, 402  
inflammatory affections after, 402  
pulmonary affections after, 402  
sequelæ of, 402  
sporadic, from anger, 402  
typhoid affections after, 402  
Choleric persons, see persons  
choleric.  
Cholera, 402  
Chorea, St. Vitus' dance, see spasms.  
Chordapsus, see ileus.  
Cinchona and quinine, abuse of, 695  
alopecia from, 200  
cephalalgia from, 695  
congestion to head from, 695  
dropsical affections from, 695  
dysecœa from, 278  
icterus from, 448. 695  
intermittent fever from, 137  
odontalgia from, 695  
œdema of the feet from, 664. 695  
otalgia from, 695  
rheumatic pains from, 695  
ulcers on the legs from, 695  
Clairvoyance, see foresight.  
Clap, see gonorrhœa.  
Clavus, see corns.  
Clenched fists, see symptoms, 647  
Coat on the tongue as symptom,  
see loaded tongue, 355  
Cœlialgia, see colic.  
Coffee as antidote, E 688  
abuse of, 9  
cephalalgia from, 204  
dyspepsia, 380. see ali-  
ments.  
gastralgia, 406  
gastric derangement, 413  
nervous debility, 25  
neuralgia, 26  
odontalgia, 331  
sleeplessness of infants, 565  
Colchicum, abuse of, 696  
Cold or chill, effects of taking a,  
acute and painful effects of, 6  
air, effects of, 7  
amenorrhœa from, 526  
angina from, 361  
asphyxia from, 4  
asthma from, 598  
from boisterous and damp wea-  
ther, 7  
checked perspiration from, 6  
chronic effects of, 6  
colic from, 439  
from damp weather, 439  
effects of damp, 7  
diarrhœa from, 472  
drinks, diarrhœa from, 472  
effects of dry, 7



- Cold or chill, dysecœa from, 278  
 dysuria from, 497  
 eruptions repelled by, 6  
 in the eyes, weakness of sight from, 248  
 gastric derangement from, 413  
 gastric fever from a chill, or headache from, 129  
 in the head, see coryza.  
 hoarseness from, 205  
 meningitis from exposure to intense, 579  
 neuralgia from, 215  
 odontalgia from, 27  
 ophthalmia from, 332  
 otalgia from, 256  
 painless effects of, 281  
 disposition to take, 6, 7 see coryza, 293  
 from abuse of mercury, 700  
 slight, rheumatism from, 31  
 in the stomach, 6  
 from eating ices, fruits, &c. 6  
 suppression of milk by, 535  
 Colds taken in the autumn, 7  
 spring, 7  
 summer, 7  
 winter, 7  
 water, 6. 68  
 dysuria from, 497  
 Cold water, dyspepsia from drinking, 379  
 see gastric fever from, 129  
 Colic, E 438  
 from abuse of magnesia, 698  
 rhubarb, 701  
 from a bath, 439  
 from a blow on the abdomen, 439  
 of children and infants, E 439. 561  
 see crying, E 562  
 see sleeplessness, 565  
 from cold damp weather, 439  
 from contraction of intestines, 438  
 with diarrhœa, 472  
 and cries from acidity, 562  
 with dysmenorrhœa, 530  
 flatulent, E 438  
 hæmorrhoidal, 438. 478  
 hepatic, see hepatitis, 446  
 in hypochondriacal persons, 439  
 hysterical women, 439  
 from indigestion, 385. 438  
 indignation, 439  
 inflammatory, 438  
 of lead, 439  
 in lying-in women, 439. 537  
 menstrual, 439  
 see dysmenorrhœa, 530  
 see spasms abdominal, symptoms, 558  
 Colic, see colics with the catamenia as symptoms, 554  
 of misere, see ileus, 449  
 nephritic, see nephritis, 500  
 painters', 437  
 of Poictou, 438  
 in pregnant women, 439  
 see pain in the bowels, 545  
 from rage, 439  
 saturnine, 439  
 spasmodic, 438  
 from a strain in the loins, 439  
 see spasms in the abdomen as symptoms, 461  
 as symptom, 489  
 wind, see flatulent, E 438  
 from worms, 438  
 Colliquative diarrhœa, E 472  
 Color of the face, as symptom, 314  
 of the nose, see swelling, 297  
 of the skin, 100  
 Coma, see somnolency, 112  
 in scarlet fever, 90  
 Comatose fever, see lethargic, 145  
 Common salt, see salt common.  
 Commotion, see concussion.  
 Commotio medullæ spinalis, see concussion.  
 Concussion in general, see injuries, consequences of a shock, 82  
 Concussion of the brain, 84. 211  
 headache from, 82. 204  
 of the spinal marrow, 84  
 Condyloma, see gonorrhœa, sy-cosis, and syphilis.  
 Confined life, see sedentary life.  
 Congelation, meningitis from, 215  
 rheumatism from, 32  
 Congestion, abdominal, 443  
 see gastralgia with stagnation, &c. 406  
 cerebral, see apoplexy and congestion to the head.  
 to the chest, 606  
 asthma from, 598  
 palpitation from, 606  
 see carditis, 606  
 as symptom, 620  
 to the female organs, as symptom, 547  
 to the head, 211  
 from abuse of cin-chona, 695  
 amblyopia from, 248  
 cephalalgia from, 203  
 chronic tendency to, 212  
 from a cold or chill, 212  
 a concussion, 212  
 constipation, 212

- Congestion to the head, from debilitating losses, 212  
 during dentition, 212  
 dysecœa from, 278  
 with epistaxis, 296. 298  
 from fear or fright, 212  
 a fall, 212  
 lifting a heavy load, 212  
 a sedentary life, 212  
 spirituous liquors, 211  
 a strain in the loins, 212  
 sudden joy, 212  
 as symptom, 221  
 vertigo from, 216  
 weakness of memory from, 219  
 in young girls, 212  
 to the nose, 298  
 pulmonary, see congestion to the chest.
- Congestive dysecœa, 278  
 odontalgia, 331  
 Constipation, E 463  
 from abuse of magnesia, 698  
 mercury, 469  
 tobacco, 45  
 after diarrhœa, 468  
 with diarrhœa in old persons, 468  
 cephalalgia from, 203  
 congestion to the head from, 212  
 of consumptives, 468  
 during dentition, 562  
 with dropsy in the chest, 468  
 of drunkards, 468  
 infants, 469. 561  
 during dentition, 562  
 of lying-in women, 537  
 in old persons, 468  
 with palsy, 468  
 from poison of lead, 469  
 with phthisis, 468  
 of pregnant women, 469. 545  
 after purgatives, 468  
 during sea voyages, 469  
 from a sedentary life, 468  
 as symptom, 481  
 tendency to, 468  
 while travelling, 469
- Constitutions and temperaments, 9  
 see also persons.
- Constitutional hæmorrhoids, 478
- Consumption, pulmonary, see phthisis.
- Contractions, in general, as symptoms, 47, 48
- Contractions of arms, fingers, &c.  
 as symptoms, 647  
 see arthritis and rheumatism.
- of the caruia, see œsophagus, 406  
 intestines, 443  
 lower extremities as symptoms, 667
- Contradiction, effects of, see emotions moral.
- Contusions, see injuries mechanical.
- Convalescence, bulimy during, E 378
- Convulsions, see spasms and convulsions in general.  
 in children, see spasms.  
 of lying-in women, 537. 525  
 from mechanical injuries, 84  
 puerperal, 525. 537  
 from worms, see helminthiasis.
- Copper, asthma from vapour of, 598  
 cephalalgia from, 204  
 and salts of as poison, 696  
 as poison, see metals, 700
- Cornea, opacity of, see specks.  
 ulceration of the, 261
- Corns and callosities on the feet, 663  
 on the feet as symptoms, 667  
 as symptoms in general, 101
- Corporeal fatigue, see fatigue.
- Corpulency, see polysarcia.
- Corpulent persons, see persons.
- Corrosive substances, as poisons, 696
- Corrosive vegetables, as poisons, 702
- Coryza, cold in the head, 293  
 chronic, 293  
 dry or obstruction of the nose, 293  
 epistaxis with, 296  
 with fever, 293  
 fluent, nasal blennorrhœa, 293  
 with catarrh, 567  
 dysecœa from, 278  
 with headache, see cephalalgia catarrhal.
- hoarseness after nasal catarrh, 579
- of new-born infants, snuffles, 293. E 561
- precursors of, 293  
 predisposition to, 293  
 sequelæ of, 293  
 suppressed, 293  
 asthma from, 293  
 bronchitis from, 293  
 eyes affected by, 293  
 head affected by, 293  
 see metastasis.
- symptoms of, see nose, 303  
 concomitant of, 307  
 weakness of sight from, 248
- Costiveness, see constipation.
- Cough, 575  
 catarrhal, 575



Cough with chest affections, 594  
 dry, 575  
   from dentition, 562  
   and violent, see catarrh, 567  
 with head affection, 595  
   hooping, E 579  
   loose, see catarrh, 567. 575  
   nervous and spasmodic, 575. 567  
   suffocative, 575  
   symptoms, nature of, 586  
     concomitant, 590  
     conditions and sensations, 594  
     in fever, 162  
   with vomiting, 575  
     as symptom, 596  
 Couperose, see Acne.  
 Coxalgia, 663  
 Coxarthrocace, morbus coxarius, 663  
   hip disease, 663  
 Cracks, fissures, chaps, see rhagades.  
 Cramps, see spasms.  
   in general as symptoms, 48  
   in the chest, see asthma.  
     stomach, see gastralgia.  
     womb, see uterus.  
 Cranium too large in children, 31  
 Croup, membranous angina, E 575. 361  
   with asthma of Millar, 576  
   catarrhal affections after, 576. 579  
   hoarseness after, 576. 579  
   laryngitis after, 576  
   with paralysis of the lungs, 576  
   predisposition to, 576  
   symptoms in measles, 86  
 Crura lactea, impetigo larvalis, 308  
   with urinary affection, 308  
   very thick scabs, 303  
 Crying of infants, E 562  
   from colic, acidity. see diarrhoea,  
   rhœa, 562  
   after weaning, 565  
 Curved spine, see spine.  
 Cyanosis, 607  
 Cynanche, see angina.  
 Cystitis, inflammation of the bladder, 496  
   see inflammatory ischuria, 499  
   see thickening of the bladder, E 500  
 Cystopægia, see paralysis of the bladder.  
 Cystorrhœa, see blennorrhœa.

## D

DANCE OF ST. VITUS, see spasms.  
 Dark persons, see persons dark.  
 Death apparent, see asphyxia.  
 Debauch, effects of, see drunkenness.

Decubitus, sores from, see intertrigo.  
 Debilitated persons, see persons.  
 Debilitating losses, see also debility.  
   alopecia from, 200  
   ancæmia from, 2  
   bulimy from, E 378  
   congestion to the head from, 212  
   debility from, 10  
   dropsy from, 11  
   dyspepsia from, 380  
   epistaxis after, 296  
   fainting from, 18  
   gastralgia, 406  
   gastric derangement from, 413  
   hectic fever from, 132  
   hypocondriasis from, 178  
   myopia from, 255  
   palpitation from, see carditis, 606  
   paralysis from, 30  
   weakness of memory from, 218  
   of blood, &c. apoplexy from, 201  
     œdema of feet from, 664  
   by lactation, gastralgia from, 406  
     gastric derangement from, 413  
   see masturbation.  
   perspirations, gastralgia from, 406  
   purgatives, gastralgia from, 406  
     gastric derangement from, 413  
   sexual excess, amaurosis from, 247  
     see amblyopia,  
   vomings frequent, gastric derangement from, 413  
 Debility, weakness, 10  
   see persons debilitated and persons weak.  
   in general, as symptom, 48  
   from acute diseases, 10  
     see convalescence, 146  
   after Asiatic cholera, 402  
   diarrhœa with, E 472  
   gastralgia from, 406  
   hysterical fainting from, 18  
   of intestinal canal after Asiatic cholera, 402  
   from loss of humours, see debilitating losses.  
   of lying-in women, 537  
   or muscular weakness of children, 566  
   nervous, 25  
     from abuse of alcoholic drinks, 25  
     coffee, 25  
     mercury, 25. 700  
     narcotics, 25  
     wine, 25



- Debility nervous, from excessive study, 25  
     gastric derangement from, 413  
     from prolonged watching, 25  
     a sedentary life, 25  
 Deglutition difficult, see dysphagia.  
 Deleterious gases, E 696  
 Deliquium animi, see fainting.  
 Delirium tremens, see drunkenness.  
 Dentition, teething, E 562  
     agitation during, 52  
     constipation do., 562  
     convulsions from, 562. 40  
     diarrhœa during, 473. 562  
     dry and spasmodic cough, 562  
     febrile affections, 562  
     nervous excitability, 562  
     sleeplessness, 562  
     slow, 562  
 Depilation, see alopecia.  
 Derangement, gastric, see gastro-sis.  
 Derbyshire neck, see goitre.  
 Desire for certain aliments as symptom, 387  
 Deviations, see scrofula and ver-tebræ.  
 Diabetes, urinary flux, 497  
 Diaphragm, affections and symptoms o., see abdomen.  
 Diaphragmitis, inflammation of the diaphragm, 443  
 Diarrhœa, looseness, lax, E 471  
     from abuse of magnesia, 472. E 698  
     mercury, 472  
     rhubarb, 472. 701  
     tobacco, 472  
     acid in children, see acidity, 560  
     see crying, E 562  
     green and slimy, from abuse of rhubarb, 701  
     sour, from abuse of magnesia, 69  
     from anger, 472  
     as arides, 446  
     bilious, see gastro-sis, 412  
     with the catamenia, see symptoms, 554  
     from chagrin, grief, 472  
 Diarrhœa, in children, 473  
     from indigestion, 564  
     see gastro-sis, 564  
     in cool weather, 563  
     in warm weather, 563  
     while teething, 563  
     see dentition, 473. 562
- Diarrhœa chronic, 472  
     from a cold, 472  
     cold drinks, 472  
     with colic, 472  
     colliquative, E 472  
     constipation after, 468  
     alternated with, in old persons, 468  
     of consumptives, 472  
     from contradiction, 472  
     a debauch, 472  
     with debility, E 472  
     during dentition, 473. 562  
     from depressing emotions, 472  
     emotions, sudden, 472  
     of feeble persons, 472  
     in fevers as symptom, 163  
     from fright, 472  
     partaking of fruits, acids, 472  
     grief, chagrin, 472  
     during the heat of summer, 563  
     from indigestion, 472. 385  
     joy, sudden, 472  
     with henty, 472  
     in lying-in women, 473. 537  
     after measles, 472  
     with measles, mucous, 85  
     mucous, see dysentery, helminthiasis, &c.  
     in old people, 473  
     without pain, 472  
     during pregnancy, 473. 545  
     after scarlatina, 472  
     in scrofulous subjects, 473  
     after smallpox, 472  
     as symptom, 482  
     in fevers, 163  
     with tenesmus, 472. see dysentery.  
     vomiting, 472. see cholera.  
     in children, see gastro-sis, 564  
     from unwholesome diet, 472  
     use of acids, 472  
     milk, 472  
     worms, 446  
 Diet, unwholesome, diarrhœa from, 472  
 Diplopia, see amblyopia.  
     as symptom, 271  
 Disappointed love, see emotions moral.  
 Discharges debilitating, see debilitating losses.  
 Diseases medicinal and poisons, 686. E 691  
 Dislocations, see injuries mechanical.  
 Dissection wounds, see poisoning by putrid animal matter, 704  
 Distension of the abdomen, see enlargement.

- Distension of the abdomen, as symptom, 455
- Dizziness, see vertigo.
- Dog, bite of rabid, see wounds, 703. and hydrophobia, 178
- Dreams, as symptoms, 124
- Drinking, sufferings after, symptoms, 396
- Drinks cold, diarrhœa from, 472
- flatulence after, 444
- Dropsy in general, E 11
- in general, from abuse of cinchona, 695
- mercury, 11. 700
- apocynum cannabinum in, 11
- from debilitating losses, 11
- intermittent fevers, E 11
- repelled exanthemata, 11
- in scarlet fever, 90
- from spirituous liquors, 11
- of the abdomen, see ascites.
- brain, see hydrocephalus.
- cellular membrane, see anasarca.
- chest, see hydrothorax.
- knee, see gonitis.
- ovaria, see oophoritis.
- scrotum, see hydrocele.
- Drowning, asphyxia from, 4
- Drunkenness and abuse of alcoholic drinks, 12
- alienation mental from, 174
- amaurosis from, see amblyopia, 248
- apoplexy from, 201
- chronic effects of, 12
- congestion to head from, 211
- constipation from, 468
- delirium tremens, 12
- diarrhœa from a debauch, 472
- dropsy from, 11
- dyspepsia, 380
- dysuria, 497
- epistaxis, 296
- gastralgia, 406
- gastric derangement, 413
- headache, 204
- from debauch, 204
- inclination to, 13
- indigestion from acid wines, 385
- nervous debility from, 25
- nightmare, 111
- sufferings from wine, symptoms, 401
- swelling of the nose from, 297
- trembling of the hands, 645
- vomiting, 419
- weakness of memory, 219
- Dry habit, see persons dry.
- Dust, asthma from inhaling stone, 598
- Dysentery, 475
- see diarrhœa with tenesmus, 472
- Dysentery, symptoms, see blood, 486
- dysenteric, 483
- emission of blood, 489. 492
- mucus, 487. sanguinolent, 487
- slimy, 487. tenesmus, 484. 491
- Dyseecœa or difficulty in hearing, 278
- with amblyopia, 248
- from abuse of cinchona, 278
- mercury, 278
- angina tonsillaris, 279
- catarrhal, 278
- from cold in the head, 278
- congestion, 278
- exanthemata, 278
- fevers, 279
- inveterate herpes, 278
- measles, 278
- nervous, 278. 279
- from repercussion of eruptions, 278
- rheumatic, 278
- from scarlatina, 278
- smallpox, 278
- suppressed coryza, 279
- intermittent, 278
- otorrhœa, 279
- swelled amygdala, 279
- as symptom, see difficulty, &c. 289
- Dysmenia, see dysmenorrhœa.
- Dysmenorrhœa, painful menstruation, 530
- see catamenia.
- with the catamenia too early, 530
- feeble, 530
- of too long duration, 530
- too profuse, 530
- retarded, 530
- of too short duration, 530
- at the cessation of the catamenia, 530
- with colic, 430. 439
- as symptom, 547. 554
- at the critical age, 530
- with dysuria, 498
- leucorrhœa, 530
- spasms, 530
- in young girls, 530
- Dyspepsia, chronic indigestion, E 378
- from abuse of coffee, 380
- the pleasures of the table, 380
- tea, 380
- tobacco, 380
- from anger, 380
- bleeding, 380
- a blow on the epigastrium, 380
- in children, 379
- see gastrosis, 564



- Dyspepsia from debilitating losses, 380  
 excessive study, 380  
 gastric sufferings from acids, 379  
 beer, 379  
 bread, 379  
 cold wa-  
 ter, 379  
 fat, 379  
 meat, 379  
 milk, 380  
 from grief,  
 in hypochondriacal persons, see  
 errata, p. 380  
 in hysterical persons, see errata, p. 380  
 from mechanical injury, 380  
 in old men, 380  
 pregnant women, 380.  
 from prolonged watching, 380  
 purgings, 380  
 sedentary and confined  
 life, 380  
 sexual excess, 380  
 spirituous liquors and wine, 380  
 strain in the loins, 380  
 vertigo proceeding from the sto-  
 mach, 216  
 from vomitings, 380  
 Dysphagia, difficult deglutition, 370  
 as symptom, see deglutition,  
 Dyspnœa as symptom, 617  
 Dysuria, strangury, E 497  
 from abuse of cantharides, 497  
 a blow on the abdomen, 498  
 back, 498  
 in children, 498  
 from a chill in the water, 497  
 cold or chill, 497  
 with dysmenorrhœa, 498  
 from a fall, 498  
 fright, 498  
 hæmorrhoids, E 498  
 mechanical injuries, 498  
 with milky urine, see diabetes, 497  
 during pregnancy, 498. 545  
 from spirituous liquors, 497  
 suppressed hæmorrhoids, E 498  
 as symptom, see tenesmus, 505. 509. 511
- E**
- EARACHE, see otalgia, otitis, and  
 otorrhœa.  
 Ears and hearing, affections of the, 278  
 diseased with  
 amblyopia, 248  
 herpes in the, 281  
 of infants, excoriation behind  
 the, 563  
 symptoms of the, 284  
 conditions of, 290  
 of the hearing, 288
- Ecchymosis from mechanical in-  
 jury, 80  
 see purpura hæmorrhagica, 80  
 senilis, 80  
 Eclampsia, see spasms.  
 of lying-in women, 537  
 Ecthyma, 80  
 Eczema, 80  
 acute, 80  
 from abuse of mercury, 80  
 chronic, 80  
 impetiginodes, 81  
 rubrum, 80  
 simplex, 80  
 solare, 80  
 Egg white of, as antidote, 691  
 Electricity, sufferings from atmo-  
 spheric, see dejection, &c., 24  
 Emaciation, see marasmus.  
 Emetics in cases of poisoning, see  
 vomiting, 690  
 Emotions moral, sufferings from  
 in general, 15  
 alienation mental from, 174  
 asthma from, 599  
 fainting, 18  
 palpitation from, see carditis, 606  
 suppression of milk from, 535  
 weakness of memory from, E 219  
 affliction effects of, in general, 15  
 anger or passion, 15. see indig-  
 nation and rage.  
 alienation mental from, 174  
 cholera from, 402  
 congestion to head from, 212  
 diarrhœa from, 472  
 dyspepsia from, 380  
 gastralgia from, 406  
 gastric derangement from, 413  
 fever from, 129  
 headache from, 204  
 icterus from, 448  
 weakness of memory from, E 219  
 anguish, palpitation from, see  
 carditis, 606  
 chagrin, diarrhœa from, 472  
 contradiction, effects in general, 15  
 diarrhœa from, 472  
 gastric fever, 129  
 headache, 204  
 palpitation, see  
 carditis, 606  
 disappointed love in general, 15  
 fear, effects general, 15  
 palpitation from, see car-  
 ditis, 606  
 fright, effects of in general, 15  
 amenorrhœa from, 526  
 congestion to head, 212  
 diarrhœa from, 472



Emotions moral.		Enuresis.	
fright, dysuria from,	498	paralytic,	498
fainting from,	18	spasmodic,	498
with mechanical injury,	82	as symptom, see emission,	503
palpitation from, see car-		see night, &c.	507
ditis,	606	Epilepsy, see spasms,	
spasms from,	40	&c. with amblyopia,	249
weakness of memory, E	219	Epistaxis, nasal hæmorrhage,	
grief, alopecia from,	200	bleeding at the nose,	296
diarrhœa from,	472	from a blow in men,	296
dyspepsia,	380	abuse of spirituous liquors,	296
gastric derangement		congestion to the head,	296
from,	413	a contusion,	296
headache from,	204	with coryza, 296. see nose,	307
hectic fever from prolong-		after debilitating losses,	296
ed,	132	from over exertion,	296
weakness of memory		after being overheated.	296
from, E	219	predisposition to from slight	
home sickness, nostalgia, in ge-		causes,	296
neral,	15	after sanguineous discharges,	296
hectic fever from,	132	as symptom, see blowing,	298
as symptom,	195	see epistaxis,	299
see hypochondriasis.		in weak and exhausted per-	
indignation, colic from,	439	sons,	296
joy, effects of, in general,	15	women with the catamenia,	
congestion to head from,	212	as symp-	
diarrhœa from,	472	tom,	555
palpitation from, see carditis,	606	profuse,	296
see melancholy.		scanty,	296
mortification, effects of in gene-		leucorrhœa,	296
ral,	15	with verminous affections,	296
alienation mental		Epsom salts, abuse of, see mag-	
from,	174	nesia, E	698
nostalgia, effects of in general,	15	Epulis, see gums.	
hectic fever from,	132	Ergotism, see secale cornu-	
as symptom,	195	tum.	
rage, colic from,	439	Eructations as symptom,	479
religious depression, alienation		Eruptions in general as symp-	
mental from,	174	tons,	101
vexation, effects in general,	15	about the anus as symptoms,	419
alienation mental		on the back,	636
from,	174	chest,	632
Emprosthotonos, see spasms, te-		in the ears,	285
tanus.		on the extremities lower	670
Encephalitis, see meningitis,	214	upper	649
Encysted tumors, see tumors, E	95	around the eyes, see pim-	
see wens,	219	ples,	266
Enlargement of the abdomen,	444	on the face,	309
of abd. in children, see atrophy.		as symptoms,	317
scrofula, tabes, &c.		genitals, male,	516
from swelled uterus,	546	female,	547
in women, aged,	444	head,	242
after many children,	444	see scald-head, pity-	
in young girls,	444	riasis, &c.	
of glands, see glands.		miliary of nurslings, E	565
the heart, hypertrophia, see		on the nose as symptoms,	300
carditis,	606	repelled, see metastasis.	
liver, see hepatitis,	447	on the scalp with enlarged	
spleen, see splenitis,	450	glands	216
Enteralgia, see colic.		Erysipelas, St. Anthony's fire,	81
Enuresis, incontinence of urine,	498	of the cheek, see fluxion,	309
nocturnal,	498	erratic,	81





- Fatigue, intellectual,  
from excessive study.  
    headache, 204  
    head af-  
    fected, 214  
    weakness  
    of memo-  
    ry, 218
- Favus, see scald-head.
- Fear effects of, see emotions mo-  
ral.
- Febrile affections and fevers, 127
- Feet symptoms in fever, 165
- Felon, see whitlow.
- Feverish heat of infants, see  
sleeplessness, 565
- Fevers and febrile affections, 127  
symptoms, 151  
accessory symptoms, 160  
adynamic, see fevers typhoid,  
ataxic, see fevers typhoid.  
bilious, see fevers gastric and  
bilious.  
catarrhal and rheumatic, 127  
    inflammatory, 127  
    with profuse perspi-  
    ration, 128  
    slight, 127  
cerebral, see fevers typhoid, E 145  
of children, 563  
    during dentition, 562  
comatose, see lethargic, 145  
with coryza, 293  
of dentition, 562  
dysecœa from, 279  
eruptive, see exanthemata.  
gastric and bilious, E 128  
    from use of acids, 129  
    anger, 129  
    with bilious symptoms, 128  
    from a chill, 129  
    drinking cold wa-  
    ter, 129  
    a contradiction, 129  
    use of ices, 129  
    an indigestion, 129. 386  
inflammatory, 129  
with mucous secretion, 128  
nervous or ataxic, 129  
with putrid symptoms, 129  
simple, 128  
with verminous affec-  
tions, 128  
hectic, see fevers, E 132  
    from abuse of medicines, 133  
    acute or violent dis-  
    cases, 133  
chronic inflamma-  
tion, 132  
debilitating losses, 132  
moral emotions, 132
- Fevers and febrile affections.  
    hectic, nervous, 132  
    from scrofula, 133  
    suppuration, 132  
inflammatory, 134  
    ataxic, 134  
    cerebral, 134  
    nervous, 134  
intermittent, E 137  
    from abuse of cin-  
    chona, E 137  
dropsy from, E 11  
evening, 138  
of hot climates, E 137  
marsh, 137  
matutinal, 138  
nocturnal, 138  
quartan, 138  
quotidian, E 138  
    double, 138  
returning every  
    year, 138  
simple, 138  
in the spring, E 137  
    summer, E 137  
suppressed by abuse  
    of cinchona and  
    quinine, 695  
tertian, 138  
    double, E 138  
lethargic, 145  
milk, see lactation.  
    lying-in, 536  
mucous, see fevers gastric.  
nervous, see gastric, 129. hectic, 132  
    inflammatory, 134  
    typhoid, 145  
pituitous, see fevers gastric.  
puerperal, 533. see lying-in, 536  
putrid, see gastric, 129. typhoid, 146  
rheumatic, see fevers catarrhal,  
    &c.  
scarlet, see scarlatina.  
slow, see hectic and nervous.  
    with parotitis, 284  
soporose, see fevers lethargic.  
symptoms, 151  
traumatic, see injuries me-  
    chanical, 84  
typhoid and nervous, 145  
    with abdominal affec-  
    tion, 146  
    see typhoid affections.  
    cerebral, 145  
    with dullness, 145  
    nervous, 145  
    pulmonary, 145  
verminous, see helminthiasis.  
yellow, 150
- Fish poisonous, see muscles and  
fish, 700  
tainted, indigestion from, 385



- Fish-skin, see ichthyosis.  
 Fissures, cracks, chaps, see rhagades.  
 Fists clenched, as symptom, 647  
 Fistula ani, 477  
     of the gum, 330  
     lachrymalis, 254  
     urinaria, 498  
 Fistulous ulcers. see ulcers.  
 Flatulence, 444  
     after drinks, 444  
     from eating pork, 444  
         fat meats, 444  
     flatulent food, 444  
     an indigestion, 385  
     as symptom, 456  
 Flatulent asthma, 598  
     of children, E 561  
     colic, see colic.  
 Flatus, see flatulence.  
 Flooding, see lochia and metrorrhagia.  
 Fluor albus, see leucorrhœa.  
 Fluxion of the cheek, 309. see swelling.  
 Fontanel open, see otitis, 29. rachitis, E 30  
 Food flatulent, see flatulence.  
     influence and effects of, see appetite.  
     vomiting of, see vomiting.  
 Foresight, clairvoyance, 178  
 Fracture, see injuries mechanical.  
 Freckles, see sun spots, 92  
 Fright, see emotions moral.  
 Frog-tongue, see ranula, 350  
 Frostbite, see chilblains.  
 Fruits, diarrhœa from, 472  
     gastric derangement from, 413  
     indigestion, 385  
     stomach chilled by eating, see chill, 6  
     sufferings from as symptoms, 397  
 Fundament fall of the, see prolapsus ani.  
 Fungi (mushrooms), sufferings from their exhalations, 697  
 Fungus, 81  
     articularis, 81  
     of the gums, see excrescences, 330  
     hæmatodes, 81  
         of the eye, 254  
     medullary, 254  
 Fur on the tongue as symptom, see loaded tongue, &c- 355  
 Furfur, 81  
 Furor uterinus, see nymphomania.  
 Furunculi in the axilla as symptoms, 637  
     on the chest " 632  
     extremities lower " 671  
 Furunculi on the extremities upper as symptoms, 650  
     malignant, see carbuncle, 79  
     as symptom, 103  
 Furunculus, boil, 81
- G**
- GALACTIRRHŒA, see lactation, 535  
 Ganglia on the backs of the hands as symptom, 650  
     see tumors on tendons, 96  
 Gangrene, 82  
     of the prepuce, see phimosis, 514  
     senile, 82  
     of the tongue from glossitis, 349  
     in wounds, 84  
 Gangrenous angina, 361—369  
     ulcers, see ulcers.  
 Gases deleterious, asphyxia from 4. E 696  
     effects of, E 696  
 Gastralgia, pains and spasms in the stomach, 406  
     from abuse of chamomilla, 406  
         coffee, 406  
         common salt, 407  
         anger, 406  
     during the catamenia, 407  
     with catamenia too profuse, 407  
         weak, 407  
     after a debauch, 406  
     from debilitating losses, 406  
         debility, 406  
     in drunkards, 406  
     in hypochondriacal persons, 407  
     in hysterical persons, 407  
     from indigestion, 406  
         indignation, 406  
         lactation, 406  
     after lying-in, 406  
     from moral emotions, 406  
         perspirations, 406  
         purgatives, 406  
     see spasms, &c. 434  
     with stagnation of blood, 406  
 Gastric affections with amblyopia, 248  
     after Asiatic cholera, 402  
     in children, see gastrostis.  
     derangement, see gastrostis.  
     headache, see cephalalgia.  
 Gastritis, mucous, (inflammation of the mucous coat of the stomach,) see indigestion, gastrostis, dyspepsia, gastric fever, &c.  
 Gastritis, serous, (inflammation of the peritoneal covering of the stomach,) 411

- Gastroataxia, see gastroses.  
 Gastrodynia, see gastralgia.  
 Gastro-enteritis, 412  
 Gastroses, gastric derangements, E 412  
   from abuse of acids, 413  
     chainomilla, 413  
     coffee, 413  
     mercury, 413  
     rhubarb, 413  
     tobacco, 413  
   with amblyopia, 248  
   from anger, 413  
   after Asiatic cholera, 402  
   bilious derangements, 412  
   from a blow on the stomach, 413  
   in children, 412. 564  
     with acid diarrhœa  
       and vomiting, 564  
       chronic dyspepsia  
       from, 564  
       from indigestion, 564  
   from a chill or cold, 413  
   debilitating losses, 413  
   excessive study, 413  
   fruits, 413  
   grief, 413  
   with heartburn, 412  
   from ices, 413  
     indigestion, 395—413. 564  
     lactation, 413  
     mechanical injuries, 413  
     mucous derangement, 412  
     nervous excitement, 413  
     being overheated, 413  
     prolonged watching, 413  
     purgatives, 413  
     spirituous liquors, 413  
     strain in the loins, 413  
   vertigo proceeding from the sto-  
     mach, 216  
   from vomitings, 413  
 General affections, (internal,) 1  
   symptoms, 45  
     conditions, 67  
     concomitant, 77  
 Genital organs, affections of,  
   female, 524  
     symptoms, 547  
       of sexual functions, 549  
       concomitant of the  
       catamenia, 555  
       of the mammæ, 559  
   male, 512  
     symptoms, 515  
       of functions of, 521  
 Giddiness, see vertigo.  
 Girls young, see young girls.  
 Glanders of horses, poisoning by,  
   see animal substances, 693  
 Glands affections of in general, 21  
   from mercury, 700  
 Glands affections of as symptoms  
   in general, 52  
   enlarged with scald-head, 216  
   injuries of, 83  
   scrofula affecting the, 35  
   of the axilla affections as symp-  
     toms, 637  
   cervical, " 638  
   inguinal, " 457  
   mesenteric, see tabes.  
   of the nape of the neck, symp-  
     toms, 457. 637  
     neck symptoms, 637  
       and parotids swell-  
       ed with otorrhœa, 284  
   submaxillary, affections as  
     symptoms, 320  
     symptoms of the, 52  
 Glans penis affections, see bala-  
   nitis, 512  
 Glaucoma, see cataract, 254  
 Glossitis, inflammation of the  
   tongue, 348  
   with induration, 349  
   from mechanical injury, 348  
   with much swelling, 348  
   from stings of bees, 348  
   threatening gangrene, 349  
 Glossoplegia, see paralysis of the  
   tongue, 350  
 Goitre, Derbyshire neck, 633  
 Gonagra, arthritic gonitis, 664  
 Gonitis, inflammation of the  
   knee, 664  
   arthritic, 664  
   with serous infiltration,  
     suppuration, 664  
 Gonorrhœa, clap, E 498  
   with chancres, 499  
   condylomata, 499  
   rheumatism from, 31  
   secondary, 499  
   suppressed, orchitis from, 513  
   as symptom, see running, 510  
 Gonorrhœa-pseudo, see balanor-  
   rhœa, 512  
 Gout, arthritis, 2  
   acute, see arthritis, 2  
   chronic, 2  
   contractions from, 3  
   in the feet, 664  
   hands, 645  
   head, see arthritic ce-  
     phalalgia.  
   hip, see coxalgia, 663  
   knee, see gonitis arthritic.  
   metastasis of, 3  
     sight injured by,  
       see amblyopia, 248  
   nodosities from, 3  
   on the joints of the fingers  
   as symptoms, 646



Gout, pains in the extremities  
 lower, as symptoms, 665  
 upper, as symptoms, 645  
 prosopalgia from, 310  
 in the teeth, see odontalgia, E 331  
 wandering, vaga, 2  
 Gravel, see calculus and gravel.  
 Green-sickness, see chlorosis.  
 Grippe, influenza, 576  
 see catarrh epidemic, 567  
 Grocer's itch, see errata, p. 89  
 Gum boil, see gums, abscess  
 of, 330  
 Gums, affections of the, 330  
 from abuse of common salt, 330  
 mercury, 330.  
 a sedentary life, 330  
 bleeding of the, 330  
 excrescences on the, 330  
 fistula of the, 330  
 inflammation of the, 330  
 scorbutic affections of the, 330  
 swellings of the, 330  
 ulceration of the, 330  
 Gutta-serena, see amblyopia, E 246

## H

HABIT, see persons.  
 Hæmatemesis, vomiting of blood,  
 see errata, p. 418  
 Hæmatocele, 512  
 from mechanical injury, 512  
 Hæmaturia, bloody urine, 499  
 see sediment, 505. urine,  
 and running, 510  
 Hæmoptysis, see pulmonary  
 hæmorrhage.  
 Hæmorrhage in general, 23  
 in general, active, 23  
 anæmia from, 2  
 from debility, 23  
 mechanical injury, 83  
 hectic fever from, 132  
 as symptom, 46  
 see blood,  
 from the anus as symptom, see  
 emission, 489. 492  
 auricular, see otorrhœa, 283  
 as symptom, see dis-  
 charge, 285  
 buccal, 349  
 as symptom, see blood, 352  
 and saliva, 357  
 cerebral, see apoplexy, 2. 201  
 from the eyes, 254  
 as symptom, see bleeding, 262  
 from the gums, 330  
 as symptom, 342  
 hæmorrhoidal, E 478  
 as symptom, 493

Hæmorrhage,  
 from the nose, see epistaxis. 607  
 pulmonary, 607  
 as symptom, see  
 blood, spitting of, 352. 586  
 see expectoration, 583, 589  
 puerperal, 540. 525  
 uterine, see accouchment, lo-  
 chia, lying-in, cata-  
 menia, metrorrhagia,  
 &c.  
 as symptom, see blood, 549  
 and catamenia, 549  
 Hæmorrhoids, piles, E 478  
 colic from, 438. 478  
 constitutional, 478  
 dysuria with, 493  
 hæmorrhage with, E 478  
 inflammation of, 478  
 itching of the anus from, 478. 480  
 mucous discharges, 478  
 suppression of, 478  
 dysuria with, E 498  
 as symptoms, 490—493  
 vesicæ, 499  
 Hair falling off, see alopecia.  
 gray, with alopecia, 200  
 Hairly scalp, affections of, 200  
 symptoms of, 241  
 Hands, symptoms of, in fever, 166  
 Headache, see cephalalgia.  
 Head and hairy scalp, affections of, 200  
 large in children, E 31  
 symptoms of the, 219  
 parts of the, 227  
 conditions of, 228  
 accessory, 237  
 of exterior, 241  
 with cough, 595  
 in fever, 166  
 Hearing, hardness of, see dysecœa.  
 and ears, affections of, 278  
 symptoms of, 288  
 Heart affections and symptoms,  
 see chest and heart.  
 see carditis.  
 palpitation of the, see palpi-  
 tation, pulsation, and  
 throbbing.  
 Heartburn, see pyrosis.  
 with gastrosis, 412  
 Heat, sufferings from, 23  
 of a fire, 23  
 headache from, 204  
 from over exertion, 23  
 overheated, epistaxis from  
 being, 296  
 gastrosis from, 413  
 of a stove, 23  
 of summer, 24

*Sed  
 Soud  
 on head.  
 Cannab Sat  
 Cina*



- Heat of summer, diarrhœa from, 563  
 of the sun, sun stroke, 23  
 meningitis from, 215
- Hectic fevers, see fevers hectic.
- Helminthiasis, worms and ver-  
 minous affections, 444  
 ascarides, 445  
 as symptom, 491  
 bulimy with, E 378. 445  
 colic, 438—445  
 convulsions 40. 445  
 diarrhœa, 445—446  
 epistaxis, 296  
 fever, 445  
 gastric, 128  
 in scrofulous sub-  
 jects, 445  
 itching of the anus, 493  
 lumbrici, round worms, 445  
 as symptom, 494  
 tænia, tape worm, 444  
 as symptom, 495  
 vomiting from, 419  
 worms as symptoms, 465. 491. 494. 495
- Hemeralopia, nocturnal blindness, 254
- Hemicrania, see cephalalgia, 202
- Hemiopia, see amblyopia, 254  
 as symptom, 271
- Hemiplegia, see paralysis 30  
 of the face, 321
- Hepar sulphuris as poison, 697
- Hepatic spots, see spots.
- Hepatitis and other affections of  
 the liver, E 446  
 abscess, 447  
 scute, 446  
 biliary calculi, 447  
 chronic, 447  
 enlargement, 447  
 induration, 447
- Herniæ, E 447  
 in children from crying, 447  
 femoral, symptom, 458  
 incarcerated, 447  
 inguinal, symptoms, 458  
 scrotal, 512  
 symptom, 458  
 strangulated, 447  
 symptom, 458  
 umbilical, of children, 564  
 symptom, 458
- I**
- Ices, gastric derangement from, 413  
 fever from eating, 129  
 indigestion from, 385  
 stomach chilled by, see chill, 6
- Ichthyosis, fish skin disease, 82
- Icterus, jaundice, 448  
 from abuse of cincho-  
 na, 448. 695
- Icterus, jaundice,  
 from abuse of mercury, 449  
 rhubarb, 449  
 of children, 564  
 from a fit of passion, 448
- Ileus, vomiting of fæcal matter,  
 colic of miserere, 418  
 iliac passion, 418. 438. 449  
 inflammatory, 449  
 spasmodic, 449
- Iliac passion, see ileus.
- Imbecility, see errata, p. 181
- Impetigo, 82  
 on the face, see crustaceous  
 herpes, 310  
 larvalis, see crusta lactea, 82  
 rodens, 82  
 scabida, 82  
 sparsa, 513
- Impotence,
- Incontinence of urine, see enuresis.
- Incubus, see nightmare.
- Indian hemp, see apocynum can-  
 nabium. 11
- \*Indigestion, 385  
 from acids, 385  
 acid wines, 385  
 apoplexy from, 201  
 in children, 385  
 see gastrosis, 564  
 chronic, see dyspepsia.  
 colic from, 385—439  
 consequences of, 385  
 diarrhœa from, 385. 472  
 from fat things, 385  
 fever from, 386—129  
 flatulence from, 385  
 from fruits, 385  
 gastralgia from, 406  
 gastric affections from, 413  
 derangement, 385  
 fever, 129  
 see gastroses, 564  
 headache from, 204. 385  
 from ices, 385  
 miliary eruptions from, 385  
 from overloaded stomach, 385  
 nightmare, 111  
 pastry, 385  
 pork, 385  
 recent, 385  
 salt things, 385  
 sour beer, 385  
 tainted meat, 385  
 urticarious eruptions from, 385  
 vertigo from the stomach, 216  
 from vinegar, 385

\* This term is used to denote the recent,  
 and not the chronic affection, for the latter,  
 see dyspepsia and gastrosis.

- Indigestion, from wine, 385  
 Indolent tumors, see tumors.  
 Indurations, 24  
   of glands, see glands.  
   the liver, see hepatitis.  
   mammaræ, 538  
     as symptoms, 559  
   ovaria, see oophoritis, 544  
   scirrhus, 24  
   of the spleen, see splenitis.  
   testicles, see orchitis, 514  
   tongue with glossitis, 349  
   tonsils, see amygdalitis, 360  
   uterus, 546  
 Infants, see children.  
 Inferior extremities, see extremities.  
 Inflammation in general, 24  
   of articulations, 3  
   of the bladder, see cystitis.  
   of the bones, 29  
   of the brain, see meningitis.  
   breasts, 537. 560  
   bronchia, see catarrh.  
   cerebral, see meningitis.  
   of the cheeks, see fluxion, 309  
   in the chest, see pleurisy, pneumonia, &c.  
   chronic, hectic fever from, 132  
   of the diaphragm, 443  
   ears, see otitis, 282  
   erysipelatous, 81  
   of the extremities, lower,  
     symptoms, 672  
     upper, 651  
   of the eyelids, see blepharitis.  
   eyes, see ophthalmia.  
     as symptom, 265  
   genitals, female,  
     as symptoms, 547  
     male, 517  
     see redness, 518  
   glands, 21  
   glans penis, see balanitis, 512  
   gums, 330  
   heart, see carditis.  
   intestines, see enteritis.  
   kidneys, see nephritis.  
   knee, see gonitis.  
   labia pudendi, as symptom, 547  
   larynx, see laryngitis.  
   liver, see hepatitis.  
   lungs, see pneumonia.  
   mammaræ, 537  
     as symptom, 560  
   medulla spinalis, see myelitis, 634  
   meibomian glands, 252  
   midriff, see diaphragmitis.
- Inflammation, of the mouth, see glossitis and stomacace.  
   as symptom, 355  
 of the nose, 296  
   as symptom, 301  
   œsophagus, 371  
   ovaria, see oophoritis.  
   palate, 349  
   parotid gland, see parotitis.  
   peritoneum, see peritonitis.  
   pharynx, see pharyngitis, 371  
   pleura, see pleurisy.  
   prepuce, see phimosis, 514  
   prostate, see prostatitis.  
   psoas muscles, see psoriasis.  
   spinal marrow, see myelitis.  
   spleen, see splenitis.  
   stomach, see gastritis.  
   testicle, see orchitis.  
   throat, as symptom, 373  
   tongue, see glossitis.  
     as symptom, 353  
   tonsils, see amygdalitis and angina.  
   trachea, see croup and laryngitis.  
   urethra, see gonorrhœa.  
   uterus, see metritis, 538  
   uvula, 371  
   vagina, as symptom, 548  
   velum palati 349  
   of wounds, 83  
 Inflammatory affections after Asiatic cholera, 402  
 Inflammatory colic, 438  
   fevers. see fevers.  
 Influenza, see grippe, catarrh epidemie, 567 E 576  
 Injuries mechanical, in general, E 82  
   in general, black and blue spots  
     from, see errata, p. 83  
   cerebral affections  
     from, 84  
   convulsions from, 84  
   dyspepsia from, 380

- Injuries mechanical, in general, E 82  
in general, with fright, 82  
of female organs during labor, 525  
fever from, 84  
gangrene from, 84  
gastrosis, 413  
of glands, 83  
glossitis from, 348  
headache from, E 82  
hæmatocele, 512  
hæmorrhage, 83  
of the joints, 83  
metrorrhagia, see ar-  
nica, 540  
of muscles, 83  
orchitis from, 513  
of the periosteum, 83  
spasms from, 40  
sugillations, see er-  
rata, p. 83  
syncope with, 82  
of synovial mem-  
branes, 83  
tendons, 83  
tetanus from, 84  
traumatic angina, 361  
ophthalmia from, 256  
weak memory, 219  
weak sight, see am-  
blyopia, 248  
bite of enraged man or ani-  
mal, see errata, p. 704  
of rabid animal, E 703  
a serpent, E 703  
blow, epistaxis from, 296  
weakness of memory  
from, 219  
on the abdomen, colic  
from, 439  
dysuria, 498  
back, dysuria from, 498  
head, amblyopia from, 248  
nose, swelled, 297  
stomach, gastroses, 413  
bruises, E 83  
burns, 83  
concussion, 84. see shock,  
of the brain, 211  
congestion from, 212  
headache from, 204  
sight injured by, 248  
contusion, E 83  
epistaxis from, 296  
of the mammæ, 538  
swelling of nose  
from, 297  
dislocation, 83  
ecchymosis, 80  
fall, congestion to head from, 212  
dysuria from a, 498  
nose swelled, 297
- Injuries, mechanical.  
fall, congestion to head from.  
weak memory from, 219  
false step, 83  
fractures, 83  
friction, phimosis from, 514  
prepuce inflamed, 514  
lifting, congestion to head from, 212  
splinter, angina from a, 361  
see stings.  
strain in the loins, 83  
colic from, 439  
congestion to  
head from, 212  
dyspepsia, 380  
gastrosis, 413  
headache, 204  
wounds, 83  
poisoned, E 703  
by pus, 704  
putrid matter, 704  
Insanity, see alienation mental.  
Insects, stings of, 93  
venomous, 698  
Insolation, see heat of the sun.  
Insomnia, see sleeplessness.  
Intellectual fatigue, see fatigue.  
Intermittent affections as symp-  
toms, see periodical, 60  
fevers, see fevers.  
Intertrigo, excoriation, chafing,  
of adults, 84  
of the anus as symptom, 492  
in the axillæ as symptom, 637  
of bed-ridden patients, 84  
see pneumonia, 616  
of children, 84. 563  
behind the ears, 563  
on the extremities lower, as  
symptom, 670  
of the genitals as symptom, 516  
mammæ as symptom, 559  
nipples, 84. E 536, 537  
from riding on horseback, 488  
as symptom, 103  
Intestinal canal, debility of after  
cholera, 402  
Iodine as poison, 698  
Iron, as antidote, 693  
abuse of, see errata, p. 698  
Irritability nervous, see debility.  
Ischias, see sciatica, 634  
Ischuria, retention of urine,  
in children, 564  
inflammatory, 499  
paralytic, 499  
spasmodic, 499  
as symptom, see retention, 504  
Itch, see scabies.  
Itching, see prurigo.  
of the anus, 480. 478  
in the skin as symptom, 103



## J

- JAWS, affections and symptoms  
of, see face.  
Joints, affections of in general,  
symptoms, 53  
in varioloid, 100  
injuries of, 83  
Joy effects of, see emotions moral.

## K

- KIDNEYS inflammation of, see nephritis, E 500  
stone in, see calculus, 495  
Kitchen salt, see salt common.  
Knee, see extremities.  
Kopp asthma of, see asthma.

## L

- LABOUR, see accouchment and lying-in.  
Lactation, 535  
deficiency of milk during, 535  
gastralgia from, 406  
gastric derangement, 413  
metastasis of milk to abdomen, 535  
milk fever, 535  
see lying-in, 536  
morbid flow of milk, 536  
odontalgia during, 332  
suppression of milk, see lying-in, 536  
from a chill, 535  
chronic effects of, 535  
from violent emotion, 535  
weaning, sufferings of mother from, see lying-in, 536  
Lameness, spontaneous, 664  
Laryngitis, E 582  
acute, 582  
chronic, 583  
after croup, 576  
Larynx and bronchia, affections of, 567  
symptoms, 583  
cough, its nature, symptoms, 586  
its conditions and sensations, symptoms, 590  
concomitant symptoms, 594  
Lax, see diarrhœa.  
Lead colic, see colic.  
constipation from poison of, 469  
as poison, 698. see also metals, 700  
Lean persons, see persons.  
Legs and limbs, symptoms of in fever, 167  
Leprosy, lepra, E 84  
spots and tuberosities, see errata, p. 84  
Lethargic fevers, 145

- Lethargy, see somnolency.  
Leucophlegmasia, painful, see white-swelling, 536. 665  
Leucophlegmatic, see persons.  
Leucorrhœa, fluor albus, whites, 536  
from abuse of magnesia, 699  
epistaxis with, 296  
as symptom, 551  
Lichen, 84  
agrius, 84  
simplex, 84  
Lientery, see diarrhœa, 472  
Lightning, asphyxia from.  
Limping, see lameness.  
Lipothymia, see fainting.  
Lippitudo, 255  
Lips affections of, see face.  
Lithiasis, see calculus.  
Lively persons, see persons.  
Liver affections, see hepatitis.  
Load, carrying too heavy, see injuries.  
Lochia.  
see accouchment, 524. lying-in, 536  
abnormal as symptom, 552  
profuse, see metrorrhagia.  
Locked-jaw, see spasms.  
Loins, symptoms, chap. xxiii. sec. 2d and 3d.  
strain in, see injuries.  
Looseness, see diarrhœa.  
Lordosis, see spine, curvature of.  
Loss of voice, see hoarseness and aphonia.  
Losses debilitating, see debilitating losses.  
Love disappointed, see emotions moral.  
Lumbago, rheumatism in the loins, 663  
Lungs, apoplexy of, 597  
see asphyxia, 3  
catarrh of, 567  
consumption of, see phthisis.  
hæmorrhage from, see pulmonary hæmorrhage.  
inflammation, see pneumonia.  
paralysis of, see orthopnœa.  
as symptom, 623  
spasms of, see asthma.  
in scarlatina, 90  
as symptoms, 625  
Lupus, noli me tangere, 84  
in the face, see herpes, 310  
Lycopodium, abuse of, 698  
Lying-in and labour, E 536. E 524  
Lying-in women, after-pains of, 536  
alopecia of, 200. 537  
colic, 439. 537  
constipation, 469. 537  
convulsions, 40. 537  
debility from, 537

- Lying-in women.**  
 deficiency of milk, 536  
 diarrhœa, 473. 537  
 eclampsia in, 537  
 excoriation of nipples, 84. E 536, 537  
 gastralgia of, 406  
 general medicines, 76  
 hair falling off, 200. 537  
 inflamed mammæ, 536  
 lochia of too long duration, 536  
 profuse, 525. 536. 540  
 suppressed, 536  
 metrorrhagia, 540  
 milk fever, 535. 536  
 moral affections, 537  
 phlegmasia dolens, see white-swelling, 536. 665  
 puerperal fever, 533. 536  
 sleeplessness, 537  
 spasms, 40  
 suppression of milk, 535, 536  
 weaning sufferings from, 536  
 white-swelling, milk leg, 536. 665
- Lymphatic persons, see persons.**  
 tumors, see tumors.
- M**
- MACULÆ, see sun spots.**  
 Mad dog, bite of, see wounds, E 703  
 Maggot pimples, see acne.  
 Magnesia and its salts,  
 abuse of, E 698  
 as antidote, see acids, 691  
 colic from abuse of, 698  
 constipation, 698  
 diarrhœa, 472. 698  
 leucorrhœa, 698  
 sleeplessness, 698  
 tenesmus, 698  
 Malacia, depraved appetite, 386  
 Maladies,  
 medicinal and poisons, 686. E 691  
 Malignant pustule, see carbuncle.  
 Mammæ, affections of, 537  
 symptoms of the, 559  
 cancer, 538  
 contusion, 538  
 induration, 538  
 inflammation, 536, 537  
 nodosities, 538  
 scirrhus and carcinoma of, 538  
 suppuratation of, 538  
 ulceration of, 538  
 Mania, see alienation mental.  
 Marasmus, emaciation, 25  
 dorsalis, 633  
 senilis, 25  
 see atrophy, fever hectic, phthisis, scrofula, tabes, and tubercles abdominal.
- Mastitis, inflammation of the breasts, see mammæ.**  
 Masturbation, 513  
 debility from, 10  
 spasms, 40  
 warts on the hands, 100  
 Meals,  
 sufferings after and symptoms, 397  
 vomiting of food after, 418  
 Measles, see morbilli.  
 Meat,  
 sufferings from, see dyspepsia, 379  
 tainted, indigestion from, 385  
 Medicinal maladies and poisons, 686. E 691  
 Medicines,  
 hectic fever from abuse of, 133  
 Medulia spinalis,  
 inflamed, see myelitis.  
 Megrin, see cephalalgia.  
 Melæna, black disease, 418  
 Melancholy, E 181. see persons.  
 mild, E 181  
 religious, 181  
 Membranous angina, see croup.  
 Memory weak, see weak memory.  
 Meningitis and encephalitis,  
 inflammation of the brain and membranes, 214  
 in children, 215  
 from congelation, 215  
 with hydrocephalus, 215  
 from repelled eruptions, 215  
 erysipelas, 215  
 exanthemata, 215  
 scarlatina, 215  
 sun-stroke, 215  
 suppressed otorrhœa, 215  
 Menochesia, feeble menstruation, 538  
 Menoposia,  
 cessation of the menses, 538  
 with dysmenorrhœa, 530  
 metrorrhagia during, 540  
 Menorrhagia, see metrorrhagia.  
 Menses, see catamenia.  
 Menstrual colic,  
 see colic and dysmenorrhœa.  
 Menstruation, see catamenia.  
 Mentagra, sycosis menti, E 310  
 Mental affections,  
 see moral affections.  
 alienation, see alienation.  
 emotions, see emotions moral.  
 fatigue, see fatigue.  
 Mercurial ulcers, see ulcers.  
 Mercury and mercurials,  
 abuse of, and poisoning by, E 699  
 amblyopia from, 248  
 angina from, 361 E 700  
 alopecia, 200  
 buboes, 700  
 caries, 700



- Mercury and mercurials.**  
 caries of the nose, 292  
 constipation, 469  
 diarrhœa, 472  
 dropsy, 11. 700  
 dysecœa, 278  
 eczema, 80  
 exostosis, 700  
     of the cranium, 214  
 fainting from, 18  
 gastric derangement, 413  
 glands affected, 700  
 gums affected, 330. 699  
 headache, 205  
 icterus, 449  
 see metals, 700  
 mouth and gums affected, 699. 349. 350  
 myopia, 255  
 nervous debility, 25  
     weakness, 700  
 neuralgia, 27. 700  
 odontalgia, 332  
 offensive mouth, 349  
 ophthalmia, 256  
 otorrhœa, 283  
 ozæna, 297  
 palate affected, 349  
 parotitis, 284  
 phthisis, 611  
 prosopalgia, 310  
 ptyalism, 350. 699  
 rheumatism, 31. 700  
 spasms, 40  
 stomacace, 350  
 susceptibility to cold, 700  
 swelling of the nose, 297  
 ulcerations, 700  
**Mesenteric glands, scrofula of,** 35  
     tabes, 450  
**Metallic substances.**  
     headache from, 204  
**Metals and metallic substances.**  
     as poisons, 700  
**Metastasis of arthritis,** 3  
     to the eyes, 3  
     see amblyopia, 248  
 of catarrh, asthma from, 599  
     coryza, asthma from, 293  
     bronchitis from, 293  
     eyes affected by, 293  
     head affected, 293  
     otorrhœa from, 279  
 of eruptions, by cold, 6  
     amblyopia from, 248  
     dysecœa from, 278  
     meningitis, 215  
     palpitation, see carditis, 606  
     paralysis from, 30  
     spasms from, 40  
 of erysipelas, meningitis from, 215  
     exanthemata, dropsy from, 11
- Metastasis.**  
 of exanthemata, amblyopia, 248  
     meningitis, 215  
 of gonorrhœa, ophthalmia from, 256  
     orchitis from, 513  
     rheumatism, 31  
 of hæmorrhages, chronic, am-  
     blyopia from, E 248  
     hæmorrhoids, 478  
     amblyopia from, E 248  
     dysuria, E 498  
 see intermittent fever suppress-  
     ed by large doses of cinchona  
     and quinine, 695  
 of intermittent fever, dysecœa  
     from, 278  
     the milk to the abdomen, see  
     lactation, 535  
 measles, E 85—87  
 miliaria asthma from, see er-  
     rata, p. 85  
 morbid secretions, paralysis  
     from, 30  
 mucous discharges, amblyo-  
     pia from, 248  
 mumps, to the brain, 284  
     testes, 284—514  
 of otorrhœa, cephalalgia from, 284  
     by a chill, 284  
     dysecœa from, 279  
     fever from, 284  
     to the cervical glands, 284  
     meningitis from, 215  
     orchitis from, 284  
     parotitis, 284  
 of parotitis to the testes, 284. 514  
 rheumatic, amblyopia from, 248  
 of scarlatina, 90  
     coma from, 90  
     meningitis, 215  
 of a suppuration, amblyopia, 248  
 of ulcers (healing) palpitation  
     from, see  
     carditis, 606  
     vertigo, 217  
 of variola, cerebral, 97  
**Meteor sm,** see tympanites, 450  
 see distension as symptom, 455  
     swelling " 561  
**Metralgia.**  
 see dysmenorrhœa and uterus.  
**Metritis.**  
 inflammation of the uterus, 538  
**Menorrhagia and menorrhagia,** 539  
     active, 539  
     after accouchment, 540  
     of cachectic persons, 540  
     during the catamenia, 540  
     see catamenia.  
     at the critical age, 540  
     of exhausted persons, 540  
     see lochia.



- Metrorrhagia and menorrhagia.**  
 from mechanical injury, see  
     arnica, 540  
 after miscarriage, 540  
 from plethora, 539  
 during pregnancy, 540  
 as symptom, see blood,  
     catamenia, 550  
 of weak persons, 540  
**Mezereum, abuse of,** 700  
**Mild persons, see persons.**  
**Miliaria, miliary fever,** E 85  
     alba in measles, 86  
     purpurea, 85. 91  
     suppressed, see errata, p. 85  
     as symptom, 105  
**Miliary eruptions from indigestion,** 385  
     of nurslings, E 565  
**Milk abscess, see mammæ.**  
 as antidote, 688  
 bad, see lactation, 535  
 deficiency of, see lactation, 535  
 diarrhœa from, 472  
 leg, phlegmasia dolens, see  
     white-swelling, 536. 665  
 metastasis of to abdomen, see  
     lactation, 535  
 morbid flow of, see lactation, 536  
 of mother vomits the child, 536  
 sufferings from, see dyspepia, 379  
     as symptom, 400  
**Millar, asthma of,**  
     see asthma of Millar.  
**Mineral and corrosive acids,**  
     as poisons, 691  
**Miscarriage and abortion,** E 542  
     metrorrhagia after, 542  
     predisposition to, 542  
     as symptom, 552  
**Miserere, colic of, see ileus.**  
**Moles, see uterus,** 546  
**Moral affections,** 174  
     of lying-in women, 537  
     during pregnancy, 545  
     with sexual functions de-  
         ranged, E 174  
**Moral emotions, see emotions moral.**  
**Morbili, measles,** E 85  
     with angina, 361  
     bronchitis, 85  
     catarrh, 568  
     cerebral affections, 85  
     cough, 85. E 86  
     croup symptoms, 85  
     dysecœa from, 278  
     gastric, 85  
     with hoarseness, E 86  
     inflammatory, 85  
     malaria alba in, 86  
     mucous diarrhœa, 86  
     otitis and otorrhœa, 86  
     parotitis with, 86  
**Morbili, measles.**  
     photophobia after, 85  
     pneumonia with, 85  
     pulmonary affections, 86  
     repercussion of, E 85  
     septic or malignant, 85  
     sequelæ of, 86  
     sore throat with, E 86  
     typhous, 85  
**Mortification, see emotions moral.**  
**Mouth affections of the,** 348  
     and gums affected, see mercury.  
     inflammation of, see glossitis  
     and stomacæ.  
     offensive, see offensiveness.  
     ulceration of, see glossitis and  
         stomacæ.  
**Mucilage as antidote,** 689  
**Mucous asthma,** 598  
     derangement of the stomach, 412  
     discharges with hæmorrhoids, 478  
     phthisis, 611  
**Muriatic acid as poison,**  
     see acids mineral, 691  
     gas, sufferings from,  
         see gases, 696  
**Muscles and poisonous fish,**  
     eruptions from, 700  
     poisoning by, 700  
**Muscular parts, contusions of,** 83  
**Mushrooms or fungi,**  
     sufferings from their exhalations,  
         see gases, E 696  
     poisoning by, 701  
**Myelitis, inflammation of the spi-**  
     nal marrow, 634  
     abdomen affected in, 634  
     chest affected in, 634  
     as sequel of measles, 634  
**Myopia, near sightedness,** 255  
     from debilitating losses, 255  
     abuse of mercury, 255  
     ophthalmia, 255  
     as symptom, 273  
     from typhous fever, 255

## N

- Nævus maternus, see sun spots, &c.**  
**Nails of the fingers, symptoms,** 105  
     and affections, 652  
     of the toes, symptoms and  
         affections, 673  
**Nape symptoms, 227, and chap.**  
     xxiii., sec. 2d and 3d.  
**Narcotics,**  
     abuse of, nervous debility from, 25  
     as poison, see vegetables, 702  
     spasms from, 40  
**Nasal catarrh, see coryza.**  
     hæmorrhage, see epistaxis.  
**Nausea, see vomiting and nausea.**  
     as symptom, 421

- Nausea, in fever, 168  
 Neck affections and symptoms, see back, &c.  
     enlargement of, as symptom, 636  
 Necrosis, see ostitis, 29, scrofula, 35  
 Nephritis, inflammation of the kidneys, E 500  
 Nephralgia, see nephritis, E 500  
 Nervous affections, vertigo from, 216  
     apoplexy, see apoplexy.  
     asthma, see asthma.  
     debility, see debility.  
     disorders, dysecœa from, 279  
     dysecœa, 278  
     excitability during dentition, 562  
     face ache, see prosopalgia.  
     fever, see fevers.  
     headache, see cephalalgia.  
     irritability, see debility.  
     pains, see neuralgia.  
     and sensitive persons, neuralgia in, 27  
     toothache, see odontalgia.  
     weakness, see debility nervous.  
         from mercury, 700  
         of sight, see amblyopia.  
 Neuralgia, pain in a nerve, E 26  
     from a chill, 27  
         abuse of coffee, 26  
         mercury, 27. 700  
     in nervous persons, 27  
     oculorum, 255  
     in plethoric persons, 27  
 Newborn infants, see children.  
 Nightmare, incubus, 111  
     from alcoholic drinks, 111  
     sedentary life, 111  
     surfeit, 111  
     as symptom, 123  
 Nipples, affections of, see mammæ and papillæ.  
     excoriation, see intertrigo.  
 Nitrate of potash,  
     as poison, see ammonia, 693  
     silver as poison, 701  
 Nitric acid as poison, see acids mineral, 691  
 Nitre, salt petre, as poison, see ammonia, 693  
 Nitre, spirits of, see alkalies, 692, and animal substances, 693  
 Noctambulism, see somnambulism.  
 Node, see exostosis.  
 Nodosities, arthritis, 3  
     on the fingers, 646  
     leprous (tuberosities) see errata, p. 84  
     in the mammæ, 538  
         as symptom, 560  
 Noli me tangere, see lupus.  
 Nose and smell, affections of, 292  
     symptoms, 298—227  
     of coryza, 306. 307  
 Nose,  
     bleeding from the, see epistaxis.  
     color of, see swelling, 297  
     red and swelled, 297  
 Nostalgia, home sickness, 183  
     see emotions moral, 15  
     as symptom, 195  
 Notalgia, pain in the back and loins, 634  
     as symptom, see chap. xxiii. sec. 2d and 3d.  
 Nyctalopia, diurnal blindness, 255  
 Nyctobasis, see somnambulism.  
 Nymphomania, 544  

O

 Obesity, see polysarcia, 30  
 Ocular hæmorrhage, 254  
     neuralgia, 255  
 Odontalgia, toothache, E 331  
     from abuse of cinchona, 695  
         coffee, 331  
         mercury, 332  
         tobacco, 331. 45. 401  
     arthritic, E 331  
     in carious teeth, 331  
         see caries, 330  
     during the catamenia, 332  
         as symptom, 557  
     in children, 332  
     from cold or chill, 332  
     congestive, 331  
     from drinking water, 332  
     with enlarged submax. glands, 331  
     in females, 332  
         hysterical, 332  
     during lactation, 332  
     nervous, E 331  
     with pain in the bones of the face, 331  
         ears, 331  
         eyes, 331  
         head, 331  
         jaw, 331  
     during pregnancy, E 332. 545  
     rheumatic, E 331  
     in sensitive and nervous persons, 331  
     in several teeth, 331  
     with swelling of the cheek, 309  
         face, 331  
     as symptom, 339. 343  
 Oedema, with erysipelas, 81  
     of the feet 664  
         from abuse of cinchona, 664. 695  
         loss of blood, 664  
 Oesophagitis, 371  
 Oesophagus, contraction of the, 406  
 Offensiveness of the mouth, 349  
     from mercury, 349  
     as symptom, see smell, 358  
     in young girls, 349  
 Oil of olives, as antidote, 689



- Oil of  
 sweet almonds, as antidote, see  
 acids, 691  
 Old men, dyspepsia of, 380  
 weak sight of, see amblyopia, 248  
 persons, see persons aged.  
 Olives, oil of, as antidote, 689  
 Onanism, see masturbation.  
 Oophoritis, inflammation of the  
 ovary, 544  
 Opacity of the cornea, see specks.  
 Open abscess, see tumors.  
 Ophthalmia, inflammation of the  
 eyes, E 255  
 from abuse of mercury, 256  
 acute, 255  
 arthritic, 255  
 catarrhal, E 255  
 chronic, 255  
 from cold or chill, 256  
 fatigue of the eyes, 256  
 myopia from, 255  
 of newborn infants, 256. 565  
 rheumatic, 255  
 scrofulous, 256  
 from suppressed gonorrhœa, 256  
 syphilitic, 256. 95  
 from traumatic causes, 256  
 Opisthotonos as symptom, 55  
 Opium as poison, 701  
 Orchitis.  
 inflammation of the testicles, 513  
 chronic, 514  
 from contusion, 513  
 induration from, 514  
 from metastasis of parotitis, 284. 514  
 suppressed gonorrhœa, 513  
 Orthopnœa paralytic.  
 paralysis of the  
 lungs, E 610  
 in aged persons, 611  
 from apoplexy of the lungs, see  
 asphyxia, 3  
 catarrhal, suffocative catarrh, E 611  
 in children, 611  
 from paralysis of the nerves of  
 the chest, E 611  
 Oscheocele, see hernia scrotal.  
 Ostitis, inflammation of the bones, 29  
 Otalgia, earache, 281  
 from abuse of cinchona, 695  
 checked perspiration, 281  
 cold or chill, 281  
 inflammatory, 281  
 with odontalgia, 331  
 rheumatic, 281  
 Otitis, inflammation of the ear, 282  
 external, 283  
 internal acute, 282  
 chronic, 283  
 in measles, 86  
 scarlet fever, 90  
 Otitis.  
 as symptom, see inflamma-  
 tion, &c. 286  
 Otorrhœa, discharge from the ear, 283  
 from abuse of mercury, 283  
 sulphur, 283  
 after acute otitis, 283  
 catarrhal, 283  
 of cerumen, 283  
 from measles, 283—86  
 purulent, 283  
 sanguineous, 283  
 from scarlatina, 283—90  
 scrofulous, 283  
 from smallpox, 283  
 suppressed by cold or chill, 284  
 cephalalgia from, 284  
 fever from, 284  
 glands of neck  
 swelled from, 284  
 orchitis from, 284  
 parotitis, 284  
 as symptom, see discharges, 285  
 Ovaria, dropsy of, see oophoritis, 544  
 induration of, ib.  
 inflammation, ib.  
 ulceration, ib.  
 Over-exertion, see fatigue and heat.  
 Overheated, see heat.  
 Over-loaded stomach, see indiges-  
 tion.  
 Ozæna.  
 purulent discharge from the  
 nose, 297  
 from abuse of mercury, 297  
 with discharge of pus, 297  
 rhagades in the nose, 297  
 scabs, ib.  
 as symptom, see discharge, &c. 298  
 syphilitic, 297  
 with ulceration of the nose, 297

**P**

- PAINFUL MENSTRUATION,  
 see dysmenorrhœa.  
 micturition, see dysuria.  
 Painless diarrhœa, 472  
 Pains in the abdomen, see colic. 18  
 acute, fainting from,  
 arthritic, see arthritic.  
 in the back, see notalgia.  
 belly, see colic.  
 bones, see bones.  
 chest, see chest and pleu-  
 rodynia.  
 ears, see otalgia.  
 eyes, see ocular neuralgia.  
 face, see prosopalgia.  
 in general as symptoms, chap. i.  
 sec. 2, 3 and 4.  
 the head, see cephalalgia.  
 hepatic, see hepatitis.



- Pains.**  
 hepatic as symptoms, chap. xvi.  
     sec. 2, 3, and 4.  
 in the hip, see coxalgia.  
     kidneys, see nephritis and  
     notalgia.  
 of labour, see accouchement.  
 in the loins, see notalgia.  
     as symptom, chap.  
     xxiii. sec. 2, 3  
     and 4.  
     nerves, see neuralgia.  
 rheumatic, see rheumatic, &c.  
 in the skin as symptom, 105  
 slight, fainting from, 18  
 in the stomach, see gastralgia.  
     teeth, see odontalgia.  
 uterine, see metralgia.  
 violent in fever, 128
- Painters' colic**, see colic.
- Palate**, inflammation of, 349  
     affected by mercury, 349  
     caries of, 349  
     ulceration of, 349
- Palpitation of the heart**,  
     see carditis, 606  
 from congestion to the chest,  
     contradiction, ib.  
     debilitating losses, ib.  
     fright, ib.  
     great anguish, ib.  
     fear, ib.  
     healing of old ulcers, ib.  
 of hysterical persons, ib.  
 from moral emotions, ib.  
 of nervous persons, ib.  
 from plethora, ib.  
     repelled eruption, ib.  
     sudden joy, ib.  
 as symptom, 622  
     see pulsation, 624  
     throbbing, 625  
     during the catamenia, 557
- Palsy**, see paralysis.
- Panaris**, whitlow,  
     as symptom, see panaritium,
- Papulæ**.  
     see lichen, prurigo, strophulus,  
     &c.
- Paralysis**, palsy, in general, 30  
     from apoplexy, 30. 201  
     with constipation, 468  
     from debilitating losses, 30  
     eruptions, repelled, 30  
     morbid secretion, sup-  
     pressed, 30  
     rheumatism, 30  
 as symptom, 60  
 of the anus as symptom, 494  
     back, loins, neck, &c. as  
     symptom, 638  
     bladder as symptom, 510
- Paralysis**.  
     of the extremities lower, 664  
         as symp-  
         tom, 674  
         upper, as  
         symptom, 653  
     eyelids, 260  
         as symptom, 266  
     face, 310  
         as symptom, 324  
     gullet, 371  
         as symptom, 374  
     hands and wrists, 645  
         as symptom, 653  
     lungs, orthopnœa, 610  
         with croup, 576  
         as symptom, 623  
     throat, E 371  
     tongue, 350  
         as symptom, 356
- Paralytic enuresis**, 498  
     ischuria, 499  
     orthopnœa, E 610
- Paraphimosis**, see phimosis.
- Paresis**, see paralysis.
- Paronychia**, whitlow, see panaris.
- Parotid glands**, symptoms of the, 287
- Parotitis**, inflammation of the pa-  
     rotids, mumps, 284  
     acute, 284  
     from mercury, 284  
     in measles, 86  
     orchitis from, 284—514  
     with otorrhœa, see otorrhœa, 284  
     in scarlet fever, 90  
     with slow fever, 284
- Passion**,  
     effects of, see emotions moral.
- Pastry**, indigestion from, 385
- Pemphigus**, vesicular eruption, 88  
     acute and chronic, 88
- Perineum**, symptoms of, 491
- Periodical sufferings** as symptom, 60
- Periosteum**, injuries of the, 83
- Peritonitis**, inflammation of the  
     peritoneum, E 449
- Pernio**, see chilblain.
- Persons aged**, 72  
     apoplexy of, 201  
     asthma, see errata, p. 599  
     bronchial catarrh, 568  
     constipation, 468  
     diarrhœa, 468—473  
     dyspepsia, 380  
     enlarged abdomen, 440  
     orthopnœa, 611  
     weak sight of, see  
         amblyopia, 243  
     bilious, 72  
     cachectic, 72  
     amenorrhœa of, 526  
     metrorrhagia of, 540

- Persons.  
   choleric, 72  
   corpulent, see polysarcia, 30  
   dark, 72  
   see colour of the skin, 100  
   debilitated, 72  
   of dry constitution, 73  
   exhausted, 72  
     amenorrhœa of, 526  
     metrorrhagia, 540  
   fair, 73  
   feeble, diarrhœa of, 472  
   hypochondriacal, 73  
     colic of, 439  
     dyspepsia, see  
       errata, p. 380  
       gastralgia, 407  
   hysterical, see women, 76  
     asthma of, E 599  
     dyspepsia of, see er-  
       rata, p. 380  
     fainting, 18  
     gastralgia, 407  
     palpitation, see car-  
       ditis, 606  
   lean, 73  
   leucophlegmatic, 73  
   lively, 73  
   lymphatic, 73  
   melancholy, 73  
   mild, 73  
   nervous, 73  
     odontalgia of, 332  
     palpitation, see carditis, 606  
     prosopalgia, 311  
   phlegmatic, 73  
   plethoric, 73  
     amenorrhœa of, 526  
     metrorrhagia, 539  
     neuralgia, 27  
     prosopalgia, 310  
   sedentary, 73. see sedentary life.  
   sensitive, 73  
     headache of, E 204  
     odontalgia, 332  
   sensual, 73  
   tall in stature, 73  
   of weak constitution, 73  
   weak, amenorrhœa in, 526  
     epistaxis in, 296  
     metrorrhagia, 540  
   young, 73  
     prosopalgia of, 310  
     see children and young  
       girls.  
     who grow rapidly, debili-  
       ty of, 10  
 Perspiration, symptom, 639  
   in fever, 155  
   alopecia from, 200, 201  
   gastralgia from, 406  
   profuse in fever, 128  
 Perspiration.  
   on the chest, symptom, 633  
   extremities lower, symp-  
     tom, 675  
   upper, symp-  
     tom, 654  
   head, as symptom, 244  
     with alopecia, 201  
 Petechiæ, 88. see ecchymosis, 80  
   see purpura hæmorrhagica.  
 Phagedænic ulcers, see ulcers.  
 Phimosis and paraphimosis, 514  
   from friction, ib.  
   with gangrene, ib.  
   in little children, ib.  
   from poisonous plants, ib.  
   with suppuration, ib.  
   syphilitic, ib.  
   from uncleanliness, ib.  
 Phlegmasia dolens.  
   see white-swelling, 536. 565  
 Phlegmatic persons, see persons.  
 Phosphoric acid as poison.  
   see acids mineral, 691  
 Phosphorus as poison, 701  
 Photophobia, intolerance of light, 260  
   as symptom, 273  
 Phthiriasis, morbus pedicularis, 88  
 Phthisis, pulmonary consumption, 611  
   acute, 611  
   laryngea, see laryngitis. 582  
   mucous or pituitous, 611  
   constipation of consumptives, 468  
   diarrhœa of consumptives, 472  
   from abuse of mercury, 611  
   of sculptors, 611  
   tubercular, 611  
 Physconia of the liver, see hepati-  
   tis, 446  
   of the spleen, see splenitis, 449  
 Piles, see hæmorrhoids.  
 Pituita from the stomach, 418  
   see pyrosis, &c.  
 Pituitous (mucous) asthma, 598  
   orthopnoea, E 611  
   phthisis, 611  
 Pityriasis, see sun spots, 92  
   see herpes furfuracea, 82  
   capitis, see scald head, 216  
   desquamation, 242  
   alopecia with, 200  
   on the face, see furfura-  
     ceous herpes, 310  
   as symptom, 327  
 Placenta, adhesion of, see accouch-  
   ment.  
 Plaited hair, see plica.  
 Pleasures of the table, dyspepsia  
   from the, 380  
 Plethoric persons, see persons.  
 Pleurisy, inflammation of the pleura,  
   E 614



- Pleuritis, see pleurisy.  
Pleurodynia, rheumatism of the pleura, 614  
Plica polonica, plaited hair, 216  
Plumbum as poison, see lead, 698  
Pneumonia, inflammation of the lungs, E 614  
    adynamic, pneumonia notha, 615  
    sequelæ of, 616  
    sores from decubitus, 616  
    typhoid, 615  
    see fever typhoid pulmonary, 145  
Podagra, see gout in the feet, 664  
Poisons and medecinal maladies, 686, E 691  
    cursory view of the antidotes, E 688  
Poisoned wounds, see injuries mechanical.  
Polysarcia, corpulency, 30  
Polyphagia, 386  
Polypus of the bladder, 500  
    ears, 284  
    heart, see carditis, 606  
    nose, 297  
    uterus, 546  
Pollutions, see spermatorrhœa.  
Pork, flatulence after eating, 444  
    indigestion after, 385  
    symptoms, 401  
Potass as antidote, see acids, 691  
    as poison, see alkalis, 692  
    nitrate of, as poison, 693  
Potatoes, sufferings from, 401  
Pregnancy, diseases of, 544  
    bulimy during, E 378. 545  
    cephalgia, 545  
    colic, 439—545  
    constipation, 469. 545  
    convulsions, 544  
    diarrhœa, 473. 545  
    dyspepsia, 380. 545  
    dysuria and strangury, 498. 545  
    medicines, in general, 76  
    metrorrhagia, 540  
    moral affections, 545  
    nausea and vomiting, 418. 545  
    odontalgia, 332. 545  
    spots on the face, 545  
    varices, 545  
    vomiting, 418. 545  
Prepuce, gangrene of, see phimosis, 514  
    inflammation, 514  
    suppuration, 514  
Presbyopia, farsightedness, 261  
    as symptom, 273  
Preventive treatment of poisoned wounds.  
    Dr. Hering's, E 704  
Priapismus, 514  
Prolapsus ani, descent of the rectum, 480  
Prolapsus ani, of infants, 480  
    as symptom, see recti, &c., 490  
    see prolapsus, 494  
    uteri, 545. 546  
    vaginæ, 545  
Prosopalgia, facial neuralgia, E 310  
    arthritic, 310  
    in the bones with odontalgia, 331  
    inflammatory, 310  
    from mercury, 310  
    nervous, E 310. 311  
    with plethora, 310  
    rheumatic, E 310  
    as symptom, see chap. x. sec. 2d.  
    in young persons, 310  
Prostatic fluid, flow of, 515  
Prostatitis, inflammation of the prostate, 514  
Prurigo and pruritus, E 88. 480  
    of the anus, 88  
    from ascarides, 480  
    hæmorrhoids, 478. 480  
    as symptom, 493  
    back, axillæ, &c. as symptom, 638  
    chest, as symptom, 632  
    extremities, lower, as symptom, 672  
    upper, 651  
    genitals, male as symptom, 517  
    female, 548. 556  
    scrotum, 88. 514  
    as symptom, 518  
    vulva, 88  
Pseudopia, 261  
Psoitis, inflammation of the psoas muscles, 634  
Psora, see scabies, E 89  
Psoriasis, E 88  
    facialis, 88  
    see herpes, 310  
    palmaris, 88  
Ptyalism, salivation, 350  
    from abuse of mercury, 350. 699  
    as symptom, see salivation, 357  
    in variola, 97  
Puerperal convulsions, see accouchment.  
    fever, see fevers puerperal.  
    spasms, see accouchment.  
    women, diseases of, see lying in and accouchment.  
Pulmonary affections with amblyopia, 248  
    after Asiatic cholera, 402  
    apoplexy, 597  
    see asphyxia, 3  
    catarrh, see catarrh bronchial, &c.  
    consumption, see phthisis.  
    hæmorrhage, 607



- Pulmonary affections,**  
   as symptom, see blood,  
     spitting of, 352. 586  
     see expectoration, 588. 589  
   spasm, see asthma spasmodic.  
     in scarlatina, 90  
     as symptoms, 625  
**Pulsation of the heart, symptom,** 624  
**Pulse, symptoms,** 157  
   during sleep, 123  
**Purgatives, abuse of, see magnesia,**  
   mercury, rhubarb and  
   debilitating losses.  
   constipation after, 468  
   gastric derangement, 413  
   gastralgia, 406  
**Purpura hæmorrhagica,**  
   see ecchymosis, 80  
   see petechiæ, 88  
   miliaris, see miliaria, 85  
     see scarlatina miliaria, 91  
   senilis, see ecchymosis, 80  
**Pustules,** 89  
   malignant, see carbuncle.  
**Putrid fever, see fevers.**  
   ulcers, see ulcers.  
**Putrefaction of the uterus,** 546  
**Pyrosis, see gastrosis with heart-**  
   burn, 413  
   as symptom, 425  
     see water brash, 429  
   see pituita, 418
- Q**
- Quartan, see fevers intermittent.**  
**Quinine, abuse of, see cinchona,** 695  
**Quinsy, see angina, &c.**  
**Quotidian, see fevers intermittent.**
- R**
- Rabies, see hydrophobia,** 178  
   see wounds, E 703  
**Rachitis, rickets,** E 30  
   with curved spine, 30  
   bending of hollow bones, E 31  
   large head, E 31  
   open fontanel, E 31  
**Ranula, fr g-tongue,** 350  
**Raphania, see secale cornutum,** 702  
**Rash, exanthem,** 81  
   millet, see miliaria.  
   nettle, see urticaria.  
   rose, see rubeola.  
   scarlet, see scarlatina.  
   tooth, see strophulus.  
**Raucedo, see hoarseness.**  
**Rectum affections,** 468  
   symptoms, 491  
**Regurgitation, see rumination,** 418  
   as symptom, 425  
**Religious melancholy,** 181  
   mental alienation, 174
- Remittent fevers, see fevers.**  
**Renal calculus,** 495  
**Repelled eruptions, see metastasis.**  
**Repercussion, see metastasis.**  
**Respiration, symptoms,** 617  
   conditions, 629  
   concomitants, 630  
   while sleeping, 123  
**Restlessness, see sleeplessness.**  
**Retching as symptom, see vom-**  
   turation, 429  
**Retention of the menses, see ame-**  
   norrhœa and chlorosis.  
   of the placenta, see accouchinent.  
   urine, see ischuria.  
**Rhagades, fissures, chaps,** 89  
   of the anus, 480  
   extremities, lower, as symp-  
     toms, 675  
     upper, 654  
   face, as symptom, 314  
   genitals, 515—518  
   hands, 89. 490  
   nose with ozæna, 297  
   in the winter, 89. 480  
**Rheum, see rhubarb.**  
**Rheumatic angina,** 361  
   cephalalgia, 203  
   dysecœa, 278  
   fevers, 127  
   odontalgia, E 331  
   ophthalmia, 255  
   otalgia, 281  
   pains in the back, loins, &c. as  
     symptoms, 638. 639  
   from cinchona, 695  
   in the extremities upper, see  
     arthritic, &c., 645. 655  
   from mercury, 700  
   prosopalgia, E 310  
**Rheumatism,** 31  
   acute, 31  
   articular, 31  
   chronic, 31  
   from cold, 31. 32  
   congelation, 32  
   with fever, 127  
   from gonorrhœa, 31  
   of the heart, see carditis, 606  
   hip, see sciatica, 634  
   paralysis from, 30  
   of the pleura, see pleurodynia, 614  
   psaos muscles, 634  
**Rhinitis, inflammation of the nose,** 296  
**Rhinorrhagia, see epistaxis.**  
**Rhubarb, abuse of,** 701  
   colic from, 701  
   diarrhœa, 472. 701  
   gastric derangement, 413  
   icterus, 449  
   sour vomiting, 701  
**Rickets, see rachitis.**

- Ring-worm, see herpes circinatus, 82  
 Roseola, see rubeola.  
 Rubeola, rose-rash. 89  
 Rumination, 418  
 Rupia E 89
- S**
- SABURRA, see gastroses, 412  
 Saffron, abuse of, 702  
 Sailing.  
   vomiting from, see sea-sickness.  
 Saliva and salivation, symptoms, 357  
 Salivation, see ptyalism.  
 Salt common.  
   as antidote, see wounds, 703  
   see nitrate  
     of silver, 701  
   abuse of, gastralgia from, 407  
     gums affected, 330  
     stomacace from, 350  
 Saltpetre as poison, see ammonia, 693  
 Salt things, indigestion from, 385  
 Sarcocoele, 514  
 Sarsaparilla, abuse of, 702  
 Saturnine colic, see colic.  
 Satyriasis, 514  
 Scabies, itch, E 89  
   dry or milary, 89  
   grocer's itch, see errata, p. 89  
   humid or pustular, 89  
 Scabs, 89  
   on the face as symptom, 325  
     see crusta lactea.  
   in the nose with ozæna, 297  
 Scaldhead, see tinea, 216  
   amiantaceous, 216  
   dry, 216  
   furfuraceous, 216  
   moist, 216  
 Scarletina, scarlet fever, 190  
   anasarca from, 90  
   with angina, 90.  
   ascites from, 90  
   caries of the bones of the ear, 91  
   coma somnolentum, 90  
   dropsical affections, 90  
   dyseceæ, 278  
   gangrenous, 90  
   hydrocephalus, 90  
   hydrothorax, 90  
   miliaria, 91  
   otitis or otorrhœa, 90  
   parotitis, 90  
   pulmonary spasms, 90  
   repercussion of eruption, 90  
   sleeplessness, 90  
   strangury, 90  
   tenesmus, 90  
   vomiting, 90  
 Sciatica.  
   rheumatism of the hip joint, 634
- Scirrhus.  
   see carcinoma and scirrhus.  
   see cancer.  
   of the breast, 538  
     face, 312  
   see indurations, 24  
   of the lips, 312  
     mammæ, 538  
     stomach, E 418  
     uterus, 546  
 Scorbutic affections of the gums, 330  
   ulcers, see ulcers.  
 Scorbutus, see scurvy, 38  
 Scrofula, 35  
   abdominal obstruction from, 35  
   see tabes and tubercles, E 450  
   of the bones, 35  
   dyscrasia from, 133  
   of the glands, 35  
   hectic fever from, 133  
   of the mesentery, 35  
   skin, 35  
 Scrofulous affections,  
   with scaldhead, 216  
   buboes, 438  
   caries of the nose, 292  
   children, atrophy of, 4  
   bronchial catarrh of, 568  
   ophthalmia, 256  
   otorrhœa, 283  
   subjects, diarrhœa in, 473  
   hydrocele in, 513  
   weak sight in, see amblyopia, 248  
   worms in, see helminthiasis, 445  
   swelling of the lips, 312  
     nose, 297  
   ulcerations of the face and lips, 313  
   ulcers, see ulcers.  
 Scrotal hernia, 512  
 Scrotum, erysipelas of the, 514  
   prurigo of, 88. 514  
   as symptom, 518  
 Sculptor's asthma, 598  
   phthisis, 611  
 Scurvy, scorbutus, 38  
 Sea sickness, 418  
   see vomiting by passive motion, 419  
   voyage, constipation during, 469  
 Sebæic acid as poison, E 692  
 Secale cornutum as poison, 702  
 Sedentary life effects of,  
   see fatigue, 19  
   congestion to the head from, 212  
   constipation, 468  
   dyspepsia from, 380  
   gums affected by, 330  
   hypocondriasis, 178  
   nervous debility from, 25  
   nightmare, 111



- Sedentary.  
 see persons sedentary, 73
- Semilateral affections,  
 see symptoms, 61
- Sensibility as symptom, 61
- Sensitive persons, see persons.
- Sensual persons, see persons.
- Sequelæ of acute diseases.  
 alopecia, 200  
 anæmia, 2  
 debility, 10  
 fainting, 18  
 hectic fever, 133  
 of amygdalitis, dysecœa, 279  
 apoplexy, paralysis, 30—201  
 bronchitis, hoarseness, 579  
 cholera, abdominal affec-  
 tions, 402  
 cerebral affection, 402  
 debility of intes-  
 tinal canal, 402  
 gastric affections, 402  
 general debility, 402  
 inflammatory af-  
 fections, 402  
 pulmonary “ 402  
 typhoid “ 402  
 of coryza,  
 amblyopia, 243  
 hoarseness, 579  
 of croup, catarrhal affections,  
 576. 579  
 hoarseness, 576—579  
 laryngitis, 576  
 of exanthemata, dysecœa, 278  
 otorrhœa, 283  
 of fever, dysecœa, 279  
 gonorrhœa, rheumatism, 31  
 intermittents, dropsy, E 11  
 see cinchona, 695  
 of measles,  
 catarrh, E 56. 568  
 cough, E 86  
 diarrhœa, 86. 472  
 dysecœa, 278  
 hoarseness, E 86  
 myelitis, 634  
 otitis, 86  
 otorrhœa, 283  
 of nervous disorders, dysecœa, 279  
 pneumonia, 616  
 incipient phthisis, 616  
 of scarlatina,  
 anasarca, 90  
 ascites, 90  
 caries of the ear, 91  
 diarrhœa, 472  
 dysecœa, 278  
 hydrocephalus, 90  
 hydrothorax, 90  
 otitis, 90  
 otorrhœa, 90. 283
- Sequelæ.  
 of scarlatina, parotitis, 90  
 typhoid fevers, debility, 146  
 myopia, 255  
 of variola,  
 cough, 97  
 diarrhœa, 97. 472  
 dysecœa, 278  
 hoarseness, 97  
 otorrhœa, 283  
 salivation, 97  
 of varioloid, affections of joints, 100  
 caries, 100  
 of violent diseases, 133  
 Serous apoplexy, 201  
 Serpent, bite of poisonous,  
 see wounds, E 703
- Sexual excess.  
 see debilitating losses.  
 organs female, affections, 524  
 symptoms, 547  
 male, affections, 512  
 symptoms, 515  
 Shingles, see zona, E 100  
 Shortsight, see myopia.
- Shoulders symptoms.  
 see chap. xxiv. sec. 2 and 3.
- Shoulder-blades symptoms.  
 chap. xiii. sec. 2 and 3.
- Sight and eyes affections of,  
 day, hemeralopia, 254  
 half, hemiopia, as symptom, 272  
 long, presbyopia, 261  
 night, nyctalopia, 255  
 short, myopia, 255  
 symptoms, 262  
 conditions, 274  
 weak, amblyopia, E 246
- Silver, nitrate of, as poison, 701
- Singultus, hiccup, 417
- Skin, color of,  
 and external organs, affections, 78  
 pain in as symptom, 105  
 scrofulous affections of, 35  
 symptoms of, 100  
 in fever, 170
- Sleep and affections relating to it, 111  
 symptoms of, 114  
 and accessory affections, 119  
 dreams, 124  
 want of, see fatigue from  
 watching, 19
- Sleeplessness, insomnia, 111  
 of children, (with pathogenesis  
 of medicines,) 112  
 during dentition, 562  
 infants from colic, 565  
 see crying, E 562  
 with feverish heat, 565  
 newborn, 565  
 of lying-in women, 537  
 from magnesia, abuse of, 698



- Sleeplessness.**  
   in scarlet fever, 90  
   as symptom, 117  
**Slow fever, see fevers hectic.**  
**Smallpox, see variola.**  
**Smell and smells, symptoms, 302**  
**Snuffles.**  
   see coryza of newborn infants.  
**Soap and water as antidote, 689**  
**Soda as antidote, see acids, 691**  
**Softening of the bones, see ostitis, 29**  
   see rachitis, E 30  
**Somnambulism, 112**  
**Somnolency, 112**  
   lethargy, 113  
   coma somnolentum, 113  
   as symptom, 114  
   vigil, 113  
   as symptom, 115  
**Sordes gastrica, see gastroses.**  
**Sore mouth.**  
   see aphthæ, glossitis, gums, pyalism, stomacace, &c.  
**Soreness in general.**  
   see sensibility, 61  
   of the abdomen, " 460  
   stomach, " 433  
**Sores of bedrid patients.**  
   see intertrigo.  
**Sore throat, see angina.**  
**Sourness, see acidity.**  
   of the stomach, see gastrosis and pyrosis.  
   as symptom, 426  
**Spasmodic affections and spasms, 38**  
   with amblyopia, 249  
   asthma, E 598  
   colic, 438  
   enuresis, 498  
   ischuria, 498  
**Spasms and spasmodic affections, E 38**  
   abdominal, see colic.  
   with amblyopia, 249  
   the catamenia, 40. 530  
   chronic, 39  
   during dentition, 40. 562  
   of the eyelids, 261  
   from fright or emotion, 40  
   of hysterical women, E 40  
   infants, 39. 565  
   during labour, 525  
   of the lungs, E 598  
   in scarlatina, 90  
   as symptoms, 625  
   of lying in women, 40. 537  
   from masturbation, 40  
   mechanical causes, 40  
   mercury, 40  
   narcotics, 40  
   during pregnancy, 544  
   recent, 39  
**Spasms,**  
   of the stomach, see gastralgia.  
   from suppressed eruptions, 40  
   as symptoms, 62  
   in the throat, see pharyngitis, 371  
   of the uterus, 546  
   as symptom, 548  
   catalepsy, 39  
   cramps of the arm, fingers, &c. 647  
   in the chest, see asthma, E 598  
   lower extremities, 668  
   throat, 372  
   convulsions of the arms, fingers, &c. 647  
   back, 636  
   of children, 39. 565  
   of the extremities, lower, 667  
   upper, 647  
   of lying in women, 537  
   from mechanical injury, 84  
   during pregnancy, 544  
   from teething, 40. 562  
   worms, 40. 445. 565  
   eclampsia, 39  
   of lying in women, 537  
   epilepsy, 39  
   chronic, 39  
   recent, 39  
   opisthotonos, symptom, 55  
   St. Vitus' dance, 39  
   tetanus, 39  
   traumatic, 84  
   Specks and opacity of the cornea, 261  
   Speech, defects of 350  
   symptoms of, 358  
   Spermatorrhœa, pollutions, 514  
   nocturnal, 514  
   from sexual excess, 514  
   Spigelia as poison, 702  
   Spinal marrow, inflammation of, see myelitis, 634  
   Spine, curvature of, see ostitis, 29  
   rachitis, 30  
   as symptom, see deviation, 636  
   Spitting of blood, see hæmorrhage pulmonary.  
   Splenalgia, see splenitis, 449  
   Splenitis, inflammation of the spleen, 449  
   acute, 449  
   enlargement of the spleen, 450  
   induration, 450  
   symptoms and affections, see abdomen.  
   Spongoid cancer, see fungus, 81  
   Spots on the back, symptoms, 641  
   black and blue, see errata, p. 83  
   on the chest, 633  
   extremities, lower, symptoms, 677  
   upper, 656  
   see ephelides, freckles, 92. 101

- Spots on the face during pregnancy, 545  
     as symptoms, 327  
 furfuraceous, see pityriasis and herpes.  
     on the face, 92  
 hepatic, maculæ hepaticæ, 92  
 leprous, see errata, p. 84  
 mother, nævi, 93  
 on the nose, E 297  
     pregnant women, 92  
 sun, freckles, ephelis, 92  
 as symptoms, 117  
 syphilitic, see syphilis.  
 Sprains, see injuries, 83  
 Spurred rye, secalæ cornutum, 702  
 Stagnation of blood, see congestion.  
     in the ven. port. gastralgia with, 406  
 St. Anthony's fire, see erysipelas.  
 St. Vitus' dance, see spasms.  
 Stammering, see speech, defects of, 350  
     of children, 566  
 Starch as antidote, see iodine, 698  
 Steatoma, see tumors, 95  
     see wens on the head, 219  
 Sterility, barrenness, 545  
     as symptom, 552  
 Still-born, see asphyxia, 4. 561  
 Stings of bees, glossitis from, 348  
     insects, 93  
     in the eye, 93  
     on the tongue, 93  
 Stomacace, inflammation and ulceration of the mouth, 350  
     from abuse of common salt, 350  
     mercury, 350. 699  
 Stomach, affections of, 402  
     derangement of, see gastrosis, 412. 564  
     in children, 412, 564  
     symptoms of, 430  
     accessory, 436  
     conditions of, 435  
     in fever, 171  
     of nausea, vomiting, eructation and pyrosis, 419  
     overloaded, see indigestion, 385  
     weak, vomiting from, 418  
 Stomatitis, see stomacace.  
 Stone, see calculus and gravel, E 495  
     in the bladder, 495  
     kidney, 495  
 Stone cutter's asthma, 598  
     phthisis, see sculptor's, 611  
 Strabismus, squinting, 261  
 Strains, see injuries, 83  
     in the loins, see injuries, 83  
 Stramonium as poison, 702  
 Strangulation, see asphyxia, 4  
 Strangury, see dysuria.  
     with gonorrhœa, 498  
 Strangury, 90  
     in scarlatina, 90  
 Stricture of the cardia, see contraction, 406  
     œsophagus, 406  
     urethra, 496  
 Strophulus, papular eruption of infants, 93  
 Struma, see goitre and scrofula.  
 Study excessive, effects of, see fatigue.  
 Sty, hordeolum, 255  
 Sublimate corrosive as poison, 699  
 Sucking, vomiting after, see lactation, 536  
 Suckling, see lactation, 536  
 Suffocative catarrh, see orthopnœa.  
 Sugillations, black and blue spots, see errata, p. 83  
 Sugar as antidote, 690  
 Sulphate of copper as poison, 702  
     iron, ib.  
     magnesia, abuse of, E 698  
     soda, as antidote, see alkalies, 692  
     zinc as poison, 702  
 Sulphur, abuse of, 702  
     otorrhœa from, 283  
     in scabies, 90  
 Sulphur vapor, asthma from, 593  
     sufferings from, 702  
     see gases, 696  
 Sulphuret of lime as poison, see hepar, 697  
 Sulphuretted hydrogen as poison, see gases, E 696  
 Sulphuric acid as poison, see acids mineral, 691  
 Sumach poisonous, 702  
 Summer heat, effects of, see heat. 92  
 Sun spots, freckles, 92  
 Sun stroke, see heat.  
 Superior extremities, see extremities.  
 Suppression of the catamenia, see amenorrhœa and chlorosis.  
     of hæmorrhoids, 478  
     intermittents by cinchona and quinine, 695  
     the lochia, 536  
     milk, see lactation, 535  
 Suppuration, 93. see tumors and abscess.  
     of the amygdalæ, 360  
     as symptom, 375  
     hectic fever from, 132  
     of the knee, see gonitis, 664  
     mammæ as symptom, 560  
     prepuce, see phimosis, 514  
     as symptom, 107  
 Surditas, see dysecœa.  
 Surfeit, see indigestion.



- Suspended animation, see asphyxia, 3
- Swallowing difficult, see dysphagia.
- Sweat, see perspiration.
- Sweetmeats sufferings from, symptoms, 401
- Swelling, see abscess and tumors.
- of the abdomen as symptom, 461
- amygdalæ, 376
- cheek, see fluxion, 309
- dropsical, see anasarca and œdema.
- of the face with odontalgia, 331
- as symptom, 327
- extremities lower, symptom, 678
- upper, " 657
- see bloated, 319
- feet, see œdema, 664
- as symptom, 678
- genitals, female, symptom, 543
- tom, 519
- male, 330
- gums, 342
- as symptom, 664
- knee, 312
- lips, 312
- scrofulous, 327
- as symptom, 560
- mammæ as symptom, 359
- mouth, &c. 641
- nape, neck, throat, &c. 636
- neck, see enlargement, 297
- nose, E 297
- from abuse of mercury, 297
- spirit. 297
- liquors, 297
- scrofulous, 297
- as symptom, 303
- pit of the stomach, symptom, 434
- throat, as symptom, 376
- tongue, 348
- uterus, 546
- uvula, as symptom, 376
- Swinging, vomiting from, 419
- Swooning, see fainting.
- Sycotic balanorrhœa, 512
- Sycosis, 93
- as symptom, see condylomata, 515
- Syncope, see fainting.
- Synoptic angina, see angina of the chest.
- Synocha, see fevers inflammatory.
- Synovial membrane, injuries of, 83
- Syphilis, venereal disease, E 93
- angina from, 361
- balanorrhœa, 512
- buboes from, 94. 437
- caries of the nose from, 292
- Syphilis.
- chancres chronic, 94
- primary, 93
- in the throat, 94
- constitutional, 95
- exostosis on cranium from, 214
- nocturnal pains, 95
- ophthalmia, 248
- ozæna from, 297
- spots and tetter, 95
- ulcers from, see ulcers.
- T**
- TABES DORSALIS, see marasmus, 633
- mesenterica, 450
- Tænia, tapeworm, see helminthiasis, 444
- as symptom, 495
- Taste, symptoms of, 391
- Tea of China, abuse of, 44
- dyspepsia from, 380
- symptoms, 401
- as antidote, see acid sebatic, 692
- see honey, 697
- Teeth, carious, 330
- pains in, see odontalgia, 331
- as symptom, 339
- and gums, affections of, 330
- symptoms, 339. 342
- accessory, 347
- conditions, 343
- Teething, see dentition.
- Temperaments, 9. see persons.
- Tendons, mechanical injuries of, 83
- Tenesmus, see dysentery.
- from abuse of magnesia, 698
- with diarrhœa, 472
- as symptom, 484
- in scarlatina, 90
- as symptom, 491—495
- urethræ as symptom, 509
- vesicæ as symptom, 505—511
- Tertian, see fevers intermittent.
- double ib. 39
- Tetanus, see spasms, 84
- traumatic, 95
- Tetters, &c. 107
- as symptoms, 107
- syphilitic, see syphilis.
- Thickening of the bladder, E 500
- Thirst as symptom, 394
- in fever, 171
- want of, as symptom in fever, 116
- Throat affections of the, 360
- symptoms of, 371
- conditions, 376
- of cough in, 591. 593. 596
- ulcers in, see ulcers.



- Throbbing of the heart, 625  
     see palpitation and pulsation.  
 Thrush, see aphthæ.  
 Thumbs, retraction of, as symptom, 654  
 Thymic asthma of Kopp, see asthma, E 605  
 Tic douloureux, see prosopalgia, E 310  
 Tin as poison, 702. see metals, 700  
 Tinea capitis, see scaldhead.  
 Toads poisoning by, see animal substances, 693  
 Tobacco effects of, sufferings from, 44  
     chewing, 44  
     chronic, 44  
     manufacturing, 45  
     recent, 44  
     smoking, 401  
     anorexia from abuse of, 45  
     colic, 401  
     constipation, 45  
     convulsions, 45  
     diarrhœa, 45. 472  
     dyspepsia, 45. 380  
     eructations, 401  
     fainting, 45  
     gastrosis, 413  
     headache, 45. 205. 401  
     hiccup, 401  
     nausea, 45. 401  
     nervousness, 45  
     odontalgia, 45. 331. 401  
     palpitation, 401  
     pyrosis, 401  
     vertigo, 45. 401  
     vomiting, 45. 401  
 Tongue coat on the, see loaded, 355  
     inflammation of, see glossitis, 348  
     paralysis of, 350  
     stings of bees on the, 93  
 Tonsillitis, see amygdalitis.  
 Toothache, see odontalgia.  
 Tophus, see exostosis and syphilis.  
 Tracheitis, inflammation of the trachea.  
     see croup and laryngitis.  
 Traveling, constipation while, 469  
 Trembling of the hands of drunkards, 645  
 Tubercles abdominal, E 450  
     pulmonary, see phthisis, 611  
 Tuberosities, leprous, see errata, p. 84  
 Tumors, E 95  
     callous, 95  
     congestive, see congestive abscess, 96  
     encysted, 96  
     indolent, 96  
     inflammatory, E 95  
     lymphatic and abscess, E 96  
 Tumors, 625  
     phlegmonous, 95  
     see scirrhus.  
     steatomatous, 96  
         see wens on the head, 219  
     suppurating, 95  
     see swelling.  
     on tendons, ganglia, 96  
     ulcerated, see open abscess, 96  
 Tussis, see cough.  
     ferina, see whooping-cough.  
 Typhoid affections after cholera, 402  
     fevers, see fevers.  
     pneumonia, see pneumonia.  
 Typhus, see fevers typhoid. 255  
     myopia from, 450  
 Tympanites, 450
- U**
- ULCERATIONS, see ulcers.  
 Ulcers and ulcerations, E 96  
     cachectic, 96  
     in the cavity of a joint bone, see 3  
         arthritis, 96  
     carcinomatous, 313  
         of face and lips, 313  
     see carcinoma. 261  
     of the cornea, 261  
         extremities lower, symptoms, 681  
             upper, " 660  
         face and lips, 313  
             scrofulous, 313  
             carcinomatous, 313  
             as symptoms, 329  
     fistulous, 96. 109  
     fistula ani, 477  
         urinaria, 498  
     gangrenous, 96. 109  
     of the genitals as symptoms, 520  
     of glands, 21  
     of the gums, 330  
         as symptoms, 343  
     legs, 664  
         from cinchona, 695  
         as symptoms, 681  
     mercurial, 96. 700  
     of the mouth, see stomaceae, 350  
         as symptoms, 359  
     mammaræ, 537  
         as symptom, 560  
     nose with ozæna, 297  
         as symptom, 303  
     ovaria, see oophoritis, 544  
     palate, 349  
         as symptom, 359  
     phagedænic, E 96  
     pus, nature of as symptom, 106  
     putrid, 96. 110  
     scabious, 90  
     scorbutic, 96  
     scrofulous, 35. 97

- Ulcers and ulcerations.  
   scrofulous, of the face and lips, 313  
   or sores of bedrid patients, see  
     intertrigo.  
   as symptoms in general, 109  
   syphilitic, 97  
   in the throat, 371  
     as symptom, 376  
   of the uterus, 546  
   in the form of warts, 110  
   wound poisoned by pus from, 704  
 Ulcus, see ulcers.  
 Upper extremities, see extremities  
   upper.  
 Urethra stricture of, see contrac-  
   tion, 496  
 Urethritis, see gonorrhœa, 498  
 Urinary fistula, see fistula uri-  
   naria, 498  
   organs affected and crusta lac-  
     tea, 308  
     affections of, 495  
     symptoms of, 509  
 Urine bloody, see hæmaturia, 499  
   difficulty in passing, see dysuria, 497  
   incontinence of, see enuresis, 498  
   retention of, see ischuria, 499  
   symptoms of, 501  
     concomitants, 507  
     conditions, 506  
 Urticaria, nettle rash, 97  
   acute, 97  
   chronic, 97  
   from indigestion, 385  
   as symptom, 110  
 Uterine derangement, E 174  
   mental alienation with, 248  
   disorders with amblyopia, 248  
   hæmorrhage, see accouchment,  
     lochia, lying-in, metrorr-  
     hagia and miscarriage.  
 Uterus, affections of, 546  
   atrophy of the, 546  
   carcinoma of, 546  
   hydatids, 546  
   induration, 546  
   moles, 546  
   polypus, 546  
   prolapsus, 546  
   putrefaction, 546  
   scirrhus, 546  
   spasms, 546. 530.  
   swelling, 546. 548  
   ulceration, 546  
 Uvula,  
   inflammation of, see pharyngitis, 371  
   see symptom, 374  

**V**

 VAGINA, prolapsus of, 545  
   symptoms of, 548  
 Valerian, abuse of, 702  
 Varicella, chickenpox, 97  
 Varices, tumid veins, 97  
   on the lower extremities, 682  
   of pregnant women, 545  
 Variola, smallpox, 97  
   with angina, 361  
     catarrh, 97  
     cerebral metastasis, 97  
   desiccating stage, 98  
   dysecœa from, 278  
   eruptive stage, 97, 98  
   febrile stage, 97, 98  
   gastric sufferings and vo-  
     miting in, 97  
   salivation in, 97  
   suppurating stage, 97, 98  
 Varioloid, 99  
   asthmatic affections in, 99  
   bones affected in, 100  
   catarrh pulmonary in, 99  
   joints affected, 100  
 Vegetable poisons, see corrosive  
   substances, 696  
   see vegetables, 702  
 Velum palati, inflammation of the, 349  
 Venereal disease, see syphilis.  
 Verdegris and salts of copper as  
   poisons, 696  
 Verminous affections, see helmin-  
   thiasis.  
 Vermitio, see helminthiasis.  
 Verruca, see warts.  
 Vertebrae deviation of, see otitis, 29  
   rachitis, 30  
   as symptom, 636  
   symptoms of, chap. xxiii. sec.  
     2d and 3d.  
 Vertigo, giddiness, 216  
   from congestion, 216  
   disordered stomach, 216  
   healing of ulcers, 217  
   motion of a carriage, 217  
   nervous affections, 216  
   as symptom, 225  
     with the catamenia, 559  
 Vesiculæ, vesicles, 100  
 Vesicles  
   on the extremities lower as symp-  
     tom, 682  
     upper " 660  
   face as symptom, 329  
   in the mouth, 360  
   see phlyctænæ, 88  
 Vexation, effects of, see emotions  
   moral.  
 Vinegar as antidote, 690  
   indigestion from, 385  
 Violent diseases, see acute dis-  
   eases.  
 Voice, loss of, see hoarseness and  
   aphonia. 578  
   symptoms of the, 586



- Vomiting and nausea, **E** 418  
 acid of infants, see acidity, 561  
 black, melaena, 418  
 of blood, see errata, p. 418.  
     as symptom, 426  
 of children, from indigestion, see  
     gastrosis, 564  
 with cough, 575  
     as symptom, 596  
     diarrhœa, 472, see cholera.  
         in children, 564  
 of drunkards, 419  
     fæces, 418, see ileus.  
     food after meals, 418  
         as symptom, 427  
 frequent, gastrosis from, 413  
 of infants after sucking, 536  
 from passive motion, 419  
 during pregnancy, 418. 545  
 remedial, in cases of poisoning, 690  
 from riding, 419  
     sailing, 419  
 in scarlet fever, 90  
 from swinging, 419  
 as symptom, 426  
     during the catamenia, 559  
     in fever, 173  
 from tobacco, 45. 401  
 of urine, see ileus.  
 in variola, 97  
 from worms, 419  
 Vomitus, see vomiting.  
 Voraciousness, see bulimy.  
 Vulnus, wound, see injuries.  
 Vulva, see symptoms, 547
- W**
- Walk, children slow in learning,  
     see scrofula, 35  
 Warts, 100  
     on the extremities, lower, as  
         symptoms, 682  
         upper, 660  
         face, as symptoms, 329  
         hands of onanists, 100  
         nose, 297  
     as symptom, 110  
 Watching, sufferings from, see  
     fatigue.  
 Water-brash, see pyrosis.  
 Water, chill or cold taken in,  
     dysuria from, 497  
     chaps on hands from working  
         in, see rhagades.  
 Weak and exhausted persons,  
     see persons.  
 Weakness, see debility.  
     of memory, **E** 218  
     from anger, **E** 219  
     with congestion, 219
- Weakness of memory,  
     from debilitating losses, 218  
     excessive study, 218  
     fright or grief, **E** 219  
     humidity, see errata, p. 219  
     injuries mechanical, 219  
     mental fatigue, 218  
     moral emotion, **E** 219  
     spirituous liquors, 219  
     as symptom, 195  
 of sight, see amblyopia.  
     as symptom, 195  
 Weaning, see lactation, 535  
 to suppress secretion of milk  
     after, see lactation, 536  
 colic of children after, see sleep-  
     lessness, 566  
 crying of children after, 565  
 sleeplessness of children after, 566  
 sufferings on the part of the  
     mother from, see lactation, 536  
 Weather, sufferings from inclemen-  
     cies of, 7  
     see conditions, 75  
 colic from cold damp, 439  
 diarrhœa of children from cool, 563  
     in hot, 563  
 rheumatism from cold, bad, 31  
 Wens, see tumors, 96  
     on the head, 219  
 White of egg, as antidote, 691  
     swelling, phlegmasia dolens, 665  
     see lying-in, 536  
 Whites, see leucorrhœa.  
 Whitlow, see panaris.  
 Wigand, asthma of, see asthma  
     of Millar.  
 Wind colic, see colic.  
 Wine, dyspepsia from abuse of, 380  
     indigestion from acid, 385  
     nervous debility from, 25  
     sufferings from, as symptom, 401  
 Womb, affections of, see uterus.  
 Women, affections of, 524  
     aged, enlarged abdomen of, 444  
     general medicines for, 76  
     odontalgia in, 332  
 Worms, see helminthiasis, tænia,  
     &c.  
 Wounds, see injuries.  
     poisoned, see injuries.
- Y**
- Yawning, as symptom, 119  
 Yellow fever, see fever yellow.  
 Young girls,  
     amenorrhœa in, 526  
     congestion to head, 212  
     dysmenorrhœa of, 530



Young girls,		<b>Z</b>	
enlarged abdomen of,	444		
offensive mouth,	349	Zona, shingles,	<b>z</b> 100
Young persons, see persons young.		see erysipelas,	81

## ERRATA.—VOL. II.

COMPRISING ALSO THOSE FOUND IN THE FRENCH EDITION.

Page. line.

- 4, 47, for: "unnoticed,"  
    read: involuntary.
- 11, 13, for: "duls," read: dulc.
- 26, 43, for: "stam," read: stann.
- 29, 34, for: "hollow bones,"  
    read: long bones.
- 29, 45, for: "tearing pains,"  
    read: tearing and boring pains.
- 31, 3, for: "hollow bones,"  
    read: cylindrical bones.
- 31, 8, add, sulph.
- 34, 26, for: "persons who grow rapidly,"  
    read: slim persons, or of a slender shape.
- 35, 39, for: "leucophlegmatic constipation,"  
    read: leucophlegmatic constitution.
- 36, 17, for: "hollow bones,"  
    read: cylindrical bones.
- 38, 19, add, china.
- 40, 6, add, conium.
- 41, 4, 16 and 46, for: "unnoticed,"  
    read: involuntary.
- 42, 36, for: "unnoticed,"  
    read: involuntary.
- 44, 15, instead of: "fits excited by cold air, or, by a current of air,"  
    read: fits excited by a fright, or by running.
- 73, 5, for: "persons tall,"  
    read: persons slim.
- 79, 24, to the article Carcinoma and scirrhus, add:  
    Against OPEN CANCER the principal medicines are; Ars., con., silic. and sulph., or perhaps, aur., bell., calc., hep., lach., merc., nitr. ac., sep., staph., thuy.
- SCIRRHOUS INDURATIONS require in preference, Bell., con., sep., silic; or, carb., an. and veg. cham., nux. v., phos., staph. and sulph. (See also Indurations, Chap. I.)

Page. line.

- Scirrhus and carcinomatous affections resulting from a CONTUSION or BLOW, most often yield to con. or staph., unless arnica merits the preference.
- 82, 46, for: "arsenic," read: arnica.
- 83, 14, instead of: "For a BRUISE when it is the result of a contusion,"  
    read: For SUGILLATIONS, (*black and blue spots*), when the result of a CONTUSION.
- 84, 32, to the article LEPROSY add the following:  
    For the SPOTS and rose colored TUBEROSITIES of lepers, Alum., natr. and silic.
- 85, 8, to the article MILIARIA add the following paragraph:  
    If the eruption be suddenly suppressed; or, if it be tardy in establishing itself, with asthmatic sufferings, gastric symptoms, and fits of fainting, Ipec. is to be preferred.
- 85, 45, add, hell.
- 86, 15, 16 and 17, instead of: "or, n. vom., and if spasmodic, the medicines are; Bell., chin., hyos. or carb. v. dros., &c. If the cough be dry and hollow, they are principally; cham., ign. or sulph.,"  
    read: or sulph. If the cough be dry and hollow, they are principally; Cham., ign., n. vom.; and if it be spasmodic, Bell. cin., hyos., or carb., v. dros., &c.
- 88, 16, for: "Phthiriosis,"  
    read: Phthiriasis.
- 88, 25, add, merc.
- 88, 35, add, dulc.
- 89, 17, read the article RUPIA thus:  
    The medicines which appear best suited to this kind of bul-

# ERRATA.

Page. line.		Page. line.	
	læ are; Caust. graph. sep. sil. and sulph.; or else, Bor. kal. nitr. ac. and petr.	133, 13,	add, nocturnal sweats.
89, 20,	at the close of the article SCABIES add the following: The eruption termed GRO-CER's ITCH, which takes the form of scabies, requires in general, sulph. and lycop.; or else, calc. dulc. rhus. and graph.	133, 40,	instead of: "dullness of the eyes," read: dark circle around the eyes.
95, 35,	add, Phos.	134, 35,	for: "Synochus," read: Synocha.
96, 17,	for the last "phos." substitute, sulph.	137, 41,	for: "arn," read: ars.
96, 42,	article Phagedænic ulcers: to the first group of medicines, add, merc.	137, 45,	for: "hell." read: bell., and for: "mec." read: ipec.
100, 13,	article Zona, instead of, "ars. merc. and sulph.," read: ars., merc. and puls.	138, 4,	omit, "diad,"
111, 12,	for: "rapid pulse," read: ebullition of blood.	138, 6,	add, diadema.
112, 24,	for: "rapid circulation," read: ebullition of blood.	138, 12,	for: "n. vom." read: n. mos.
129, 41,	add, ardent thirst.	139, 15,	commence with the words, "during the heat," and read as follows: during the HEAT, especially, cham. chin. puls. rhus. and verat.
130, 12,	add the following: BRYONIA if there be. Tongue dry, and coated with a brownish yellow fur; putrid odor from the mouth; <i>bitter taste</i> , especially after sleeping, or clammy and insipid, or putrid; great desire for wine, acid drinks, or coffee, <i>with repugnance to solid food</i> ; nausea, pituitous discharge from the stomach, frequent retching, or <i>vomiting of bile</i> , especially after drinking; <i>shooting pains in the pit of the stomach</i> , or in the side, <i>in the head</i> , or limbs, especially when talking or walking; <i>pressure and tension at the pit of the stomach</i> , especially after eating; <i>constipation</i> ; watery urine, of a clear or yellowish color, and depositing a yellowish sediment; <i>intense heat with ardent thirst</i> , or <i>coldness and shivering over the whole body</i> , with redness (and heat) of the face; irascible temper; <i>great weakness</i> ; head affected, with vertigo, &c. (Compare, Acon. cham. and n. vom.)	139, 17,	add, merc.
		139, 30,	add, during the heat, disqui- etude, pressure in the fore- head, vertigo, or even deli- rium.
		142, 32,	for: "gnawing," read: yawning.
		147, 38,	for: "lying on the face," read: lying on the back.
		149, 46,	for: "small and failing pulse," read: small and flying pulse.
		174, 27,	add, puls.
		180, 13,	for: "patience," read: impatience.
		181, 11,	for: "aversion to constipa- tion," read: aversion to conversa- tion. add the following article: IMBECILITY. Against this form of <i>Intellectual Weak- ness</i> , the medicines to be con- sulted are principally; Bell., hell., hyos., lach., op. and sulph., or else, anac., croc. and n. mos.
		181, 37,	for: "bell." read: hell.
		203, 41,	add, sabina and spigelia.
		204, 5,	for: "cin." read: chin.
		207, 11,	for: "chamomilla, especially in women," read: chamomilla, especially in children.
		210, 17,	add, with extreme weakness, even to fainting; and sense of great uneasiness, when- ever the patient takes an erect position.
130, 15,	add, fetid odor from the mouth.	215, 35,	for: "unnoticed," read: involuntary.
131, 6,	for: "especially in the morn- ing," read: especially at night.		



# ERRATA.

Page. line.

- 217, 33, for: "bent backwards,"  
read: bent forward.
- 219, 10, instead of: "In consequence  
of violent MORAL EMOTIONS,  
such as FRIGHT, GRIEF, ANGER,  
etc., especially, Acon. or staph.:  
or again, calc. puls or sil."  
read: In consequence of violent  
MORAL EMOTIONS, such as FRIGHT,  
GRIEF, ANGER, etc., especially;  
Acon. or staph.; or else,  
phos. ac. op., etc. (Comp. Chap. I.  
Effects of Emotions Moral.)  
By the influence of HUMIDITY,  
principally; Carb. v. rhus., or  
verat., or again, calc. puls or sil.
- 247, 19, instead of:  
"Against AMBLYOPIA AMAUROTICA  
(*Incipient amaurosis*), a preference  
may be given to; Aur., bell., calc.  
caps., caus., chin., cic., con.  
dros., dulc. hyos., merc., natr.,  
natr. m., nitri. ac., op. phos.,  
puls. rhus., secal., sep., lach., lyc.,  
n. mos., plumb., zinc, &c."  
read as follows:  
Against AMBLYOPIA AMAUROTICA  
(*Incipient amaurosis*), a preference  
may be given to; Aur., bell., calc.  
caps., caus., chin., cic., con.,  
dros., dulc., hyos., merc., natr.,  
natr. m., nitri. ac., op. phos.,  
puls., rhus., secal., sep., sil.,  
sulph., veral.: or else; Agar., cin.,  
dig., euphr., guai., kal., lach.,  
lyc., n. mosch? plumb., zinc,  
etc.
- 247, 34, for: "chin." read: cic.
- 248, 21, for: "culc." read: calc.
- 250, 17, for: "dazzled by the light  
of the day,"  
read: dazzled by the light of  
the day, and of the fire.
- 250, 19, for: "dryness of the nose  
and mouth,"  
read: nose dry and stopped.
- 253, 1, for: "holding back,"  
read: eversion.
- 253, 15, for: "margin of the pupils,"  
read: margin of the eyelids.
- 253, 26, for: "closing of the pupils,"  
read: closing of the eyelids.

Page. line.

- 253, 30, for: "holding back of the  
eyelids,"  
read: eversion of the eyelids.
- 254, 1, for: "*Rhus*, if the eyelids be  
heavy,"  
read: *Rhus*, if the eyelids be  
rigid, &c.
- 255, 44, for: "euphr.?"  
read: euphorb.?
- 257, 22, for: "red and swollen pu-  
pils,"  
read: red and swollen eye-  
lids.
- 257, 36, instead of: "*Hepar*, if the  
eyes and pupils be red,"  
read: *Hepar*, if the eyes and  
eyelids be red.
- 258, 39, instead of:  
"(It is often suitable in rheu-  
matic ophthalmia, at the  
commencement of the treat-  
ment, before fer. or after  
con.)"  
read: (Puls. is often suitable  
in scrofulous ophthalmia, at  
the commencement of the  
treatment, before fer.; or,  
after Acon. in rheumatic  
ophthalmia.)
- 260, 41, for: "sen," read: sepia.
- 297, 42, for: "Black spots,"  
read: Red spots.
- 310, 17, for: "ant., cic., graph.,"  
read: ant., cic., graph. and  
sulphur.
- 310, 28, add, aurum.
- 310, 35, add, Thuya.
- 310, 41, for: "magn. m."  
read: magn.
- 330, 1, for: (page) "282," read: 330.
- 331, 37, add, rhus.
- 332, 19, for: "agn." read: magn.
- 335, 4, instead of: "humming in the  
head,"  
read: humming in the tooth.
- 362, 21, add, violent fever, with heat,  
redness and turgescence of  
the face.
- 363, 15, add, abundant salivation,  
swelling of the gums and  
tongue.
- 369, 3, for: "indolent,"  
read: obstinate.
- 371, 6, add, *Ipec.* to the 2d group of  
medicines,
- 378, 18, the word "BULIMY" is the  
beginning of an article under  
that title, and must be  
separated from ANOREXIA.
- 380, 3, instead of: "HYPOCHONDRIA-  
cal persons,"



# ERRATA.

Page. line.		Page. line.	
380,	read: HYSTERICAL persons; and for: "Hel," read: Bell.	450, 16,	for: "calch." read: calc.
	add the following:	468, 20,	for: "mag., arc.," read: mgs., arc.
	In HYPOCHONDRICAL persons; N. vom., sulph., or again, Bry., calc., chin., con., lach., natr., staph., verat., &c.	472, 14,	for: "sep.," read: sec.
383, 3,	add, after a meal.	473, 21,	for: "boiled eggs," read: hashed or buttered eggs.
383, 19,	for: "principal organs," read: primæ viæ.	474, 9,	for: "inflamed eyes with black and blue spots," read: dark circle around the eyes.
384, 16,	for: "aversion to food," read: aversion to meat.	476, 36,	for: "shivering over the belly," read: horripilation emanating from the belly.
403, 26,	instead of: "If there be already diarrhœa or vomiting with thirst, camphora is seldom suitable, and never if there be at the same time, coldness, &c."	477, 30,	add, tongue coated with white fur.
	read: If there be already diarrhœa or vomiting with thirst, camphor is seldom suitable, and never, unless there be at the same time coldness, &c.	478, 7,	for: "arc.," read: anac.
404, 34,	add, comatose state.	479. 1,	instead of: "if their habitual flow has been suppressed," read: if their habitual flow in plethoric persons, has been suppressed.
406, 10,	for: "continuance," read: prevalence.	479, 9,	for: "heat in the back," read: stiffness of the back.
408, 23,	for: "primary organs," read: primæ viæ.	479, 41,	for: "lancinations and shocks in the loins, with pain as if broken, which admits of no relief," &c. read: lancinations and shocks in the loins, with pain as if broken, that will not permit the back to be straightened, &c.
412, 1,	for: "hypochondriacal sufferings," read: dropsical sufferings.	495, 30,	instead of: "Calc. cann., nux: vom., petr., &c." read: Lyc., sass., as well as, calc. cann., n. vom., petr., &c.
412, 29,	for: "tarb.," read: tart.	498, 3,	for: "calch.," read: calc.
418, 22,	for: "phoc.," read: phos.	499, 24,	for: "sil.," read: sel.
418, 40,	to the article VOMITING and NAUSEA, add the following paragraph: For vomiting of BLOOD—( <i>Hæmatemesis</i> )—Acon., arn., hyos., ipec., n. vom., or am., c. bell., bry., carb. v., caus., lach., lyc., mez., mill., sulph., verat.	500, 7,	for: "urethra," read: ureter.
438, 22,	add, natrum.	500, 35,	add, sulph.
439, 17,	instead of: "Bor., cic., ipec., jalap," read: Bor., cin., ipec., jalap.	524,	last line, for: "hell," read: bell.
441, 14,	add, intolerable burning.	525, 14,	for: "whether there are at the same time spasmodic pains, or any other sort of pain," read: whether there are at the same time spasmodic pains, or an entire absence of pains.
441, 11,	for: "verb," read: berb.	525, 32,	for: "confinement," read: labor.
448, 23,	for: "if the hernia be not reduced," read: if the hernia be not reducible.	536, 36,	for: "EXCORIATION of the mammeæ," read: EXCORIATION of the nipples.
449, 19,	for: "coff., cocc., hyos.," &c. read: coff., coloc., hyos., &c.	542, 18,	add, puls.
449, 46,	for: "at every moment," read: at every movement.		

# ERRATA.

Page. line.	Page. line.
543, 5, for: "tall stature," read: slender or slim figure.	600, 13, for: "unnoticed," read: involuntary.
543, 24, for: "choking," read: panting.	600, 31, for: "especially, when ta- king an inspiration and coughing," read: especially in breathing and coughing.
561, 43, instead of: "n. vom., or else, sulph., if n. vom. be insuf- ficient," read: n. vom., or else, samb., if n. vom. be insufficient.	600, 37, for: "difficulty in taking an inspiration, and in talking," read: difficulty in breathing and in speaking.
562, 5, instead of: "If the crying be caused by soreness of the head or ears," read: If the crying be caused by headache or earache.	600, 42, for: "choking," read: stifling.
562, 25, for: "Ars., chin., fer.," read: Ars., cin., fer.	601, 10, for: "when the chest is un- covered in the least," read: when the chest is co- vered in the least.
565, 3, for: MILIARY eruption of nurses," read: MILIARY eruption of nurslings.	604, 7, for: "on taking an inspira- tion," read: in respiring.
566, 5, for: "wretched children," read: puny children.	605, 40, to "Bell., con., hep., merc.," add, verat.
572, 19, for: "unnoticed," read: involuntary.	607, 15, for: "hypochondria," read: chest.
572, 42, for: "fits of choking," read: fits of suffocation.	607, 22, for: "choking anguish," read: stifling anguish, &c.
573, 35, instead of: "rising from a sitting posture," read: by an erect position af- ter lying.	610, 20, for: "choking," read: stifling.
574, 37, for: "unnoticed," read: involuntary.	611, 6, add, tart.
576, 37, for: "camph.," read: cham.	611, 10, for: "orb., read: op.
578, 32, add the following: SQUILLA, if the cough be loose from the first, with abundant mucus expectora- tion.	613, 15, for: "tall stature," read: slim, or of a slender shape.
578, 43, add, rhus.	613, 44, for: "liquid," read: water.
579, 22, for: "con.," read: cin.	614, 14, for: "spoonful of coffee," read: tea-spoonful of water.
582, 43, for: "stram.," read: stann.	615, 22, for: "spoonful of coffee," read: tea-spoonful of water.
597, 19, to the article Angina of the Chest, add: In some cases the follow- ing medicines may be con- sulted; Acon., aur., lach. and spig.	616, 30, for: "expectoration of a dirty color," read: expectoration of a dirty green color.
598, 35, for: "n. mosch.," read: mosch.	635, 2—3, instead of: "(In the fol- lowing articles, the word <i>Loins</i> signifies the <i>Region</i> of the <i>Loins</i> , and not the <i>Loins</i> properly so called),"
599, 9, add, n. mos.	read: (In the following arti- cles, the word <i>Kidneys</i> sig- nifies the <i>Region</i> of the kidneys, or <i>Loins</i> , and not the <i>Kidneys themselves</i> .)
599, 11, add: In AGED persons; Aur., bar., c. con., lach., op.; or, Ant., camph., carb. v., caus., chin., sulph.	688, 15, for: "hydrocyanic acid, and all substances which con- tain belladonna," &c. read: hydrocyanic acid and all substances that contain it.
599, 34, and 35, instead of: "fits of choking," and "choking fits," read: fits of stifling, and fits of suffocation.	691, 17, instead of: "in cases in which the poison has been uncon- sciously imbibed,"

## GENERAL ERRATA.

Page. line.		Page. line.	
	read : In cases in which it is unknown what poison has been swallowed.		drops of <i>vinegar</i> , or <i>chlorine water</i> , much diluted, may be administered to him.
696, 34,	for : " solution of muriatic acid,"	697, 19,	for : "vapour of muriatic acid,"
	read : solution of chlorine.		read : vapor of chlorine.
696, 40,	instead of ; " During the operation, the person who performs it, may facilitate and forward its success, by moistening the mouth of the patient from time to time with <i>vinegar</i> , and when he begins to revive, some drops of <i>vinegar</i> , or of <i>muriatic acid diluted with a quantity of water</i> , may be administered to him,"	698, 16,	add the following :
	read : During the operation, the person who performs it, may favor its success by moistening his (own) mouth from time to time with <i>vinegar</i> , and when the patient begins to revive, some		IRON AND ITS PREPARATIONS. Against sufferings caused by the abuse of remedies or mineral waters containing iron ; Chin., hep. and puls., administered alternately, will generally afford the most prompt relief. Should they not prove sufficient, recourse may be had to, Arn., ars., bell., ipec., merc. and verat.
		698, 35,	for : "arn.," read : ars.
		700, 2,	add, thuy.
		703, 41,	for : " spoonful of coffee,"
			read : tea-spoonful of water.
		704, 12,	for : " rabid man or animal,"
			read : enraged man or animal.

---


## GENERAL ERRATA.

For : Dysecoia,	read : dysecœa.
" scorbiculus,	" scrobiculus.
" tall persons, or	" slim persons, or
tall stature,	slender shape.
" vermiculous,	" verminots.
" zygomatic process,	" cheek bone, or prominent part of the cheek.

757

THE END.













NATIONAL LIBRARY OF MEDICINE



NLM 03288798 3

